

Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5137WS

Certificate Rent-All-number: 001

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 2/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	4
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ОК
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5138WS

Certificate Rent-All-number: 002

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 1/28/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5139WS

Certificate Rent-All-number: 003

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 2/20/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	ok ✓
chain	1
brake test	1
overload test	1
evenous test	
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5140WS

Certificate Rent-All-number: 004

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 12/30/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5141WS

Certificate Rent-All-number: 005

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 12/30/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5142WS

Certificate Rent-All-number: 006

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 1/28/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5145WS

Certificate Rent-All-number: 007

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 1/28/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5147WS

Certificate Rent-All-number: 008

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 5/19/2015

Date of last test: 9/3/2018

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3791WT

Certificate Rent-All-number: 009

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5148WS

Certificate Rent-All-number: 010

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 9/3/2018

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2607WT

Certificate Rent-All-number: 011

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 9/3/2018

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	ok ✓
chain	1
brake test	1
overload test	1
evenous test	
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3788WT

Certificate Rent-All-number: 012

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	ok ✓
chain	1
brake test	1
overload test	1
evenous test	
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2610WT

Certificate Rent-All-number: 013

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/20/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	4
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5539VQ

Certificate Rent-All-number: 014

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 9/3/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

handles	\checkmark
casing	\checkmark
chain bag	Y /
power plug	\checkmark
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	V
brake system	~
brake frame screws	~
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3787WT

Certificate Rent-All-number: 015

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 9/3/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	4
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ОК
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5143WS

Certificate Rent-All-number: 016

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3789WT

Certificate Rent-All-number: 017

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 9/3/2018

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

handles	\checkmark
casing	\checkmark
chain bag	Y /
power plug	\checkmark
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	V
brake system	~
brake frame screws	~
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5144WS

Certificate Rent-All-number: 018

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL5146WS

Certificate Rent-All-number: 019

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 12/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	~
power plug	~
power cord	4
Regular Test	ОК
dead end stopper	4
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3793WT

Certificate Rent-All-number: 020

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	ok ✓
chain	1
brake test	1
overload test	1
evenous test	
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2608WT

Certificate Rent-All-number: 021

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

. .

Pieter Langen

Hoist parts and access.	ОК
handles	~
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	Ž
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3794WT

Certificate Rent-All-number: 022

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+ 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3792WT

Certificate Rent-All-number: 023

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	4
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	Y
Overall	ок
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RR Lodestar D8+1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL3790WT

Certificate Rent-All-number: 024

Strength

Proof load applied: 6,25 kN single part

Working load limit: 1000 KG 4:01 Safety factor:

Manufacturing date: 11/13/2015 Date of last test: 2/17/2020 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	ok ✓
chain	1
brake test	1
overload test	1
evenous test	
Overall	ОК
CE - Marking	4
A3 / NEN3140	~