

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04770

Certificate Rent-All-number: 001

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 7/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H04771
Certificate Rent-All-number: 002

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H04772
Certificate Rent-All-number: 003

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 11/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H04773
Certificate Rent-All-number: 004

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 3/10/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	\checkmark
hook suspension	✓
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H04774
Certificate Rent-All-number: 005

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 7/5/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H04775
Certificate Rent-All-number: 006

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04776

Identification number: H04776 Certificate Rent-All-number: 007

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 1/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04777
Certificate Rent-All-number: 008

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 5/28/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H04778
Certificate Rent-All-number: 009

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 6/27/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H04779
Certificate Rent-All-number: 010

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 ~

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04780

Certificate Rent-All-number: 011

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 6/27/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango Tango

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04781

Certificate Rent-All-number: 012

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 2

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04782
Certificate Rent-All-number: 013

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04783

Certificate Rent-All-number: 014

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 6/27/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H04784
Certificate Rent-All-number: 015

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04785

Certificate Rent-All-number: 016

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 2/27/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04786

Certificate Rent-All-number: 017

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 12/3/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - <

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04787

Certificate Rent-All-number: 018

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 1/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles

casing

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04788

Certificate Rent-All-number: 019

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 9/19/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04789

Certificate Rent-All-number: 020

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 6/27/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	✓
casing	\checkmark
chain bag + safety	\checkmark
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	4
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04790

Certificate Rent-All-number: 021

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 6/26/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	V
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H04791
Certificate Rent-All-number: 022

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 10/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04792

Certificate Rent-All-number: 023

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H04793

Certificate Rent-All-number: 024

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/2/2017

Date of last test: 6/28/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	✓
casing	\checkmark
chain bag + safety	\checkmark
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	4
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06640

Certificate Rent-All-number: 025

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 12/3/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06626
Certificate Rent-All-number: 026

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06628

Certificate Rent-All-number: 027

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06627
Certificate Rent-All-number: 028

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/23/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06639
Certificate Rent-All-number: 029

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 2/21/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	\checkmark
casing	✓
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	4
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
·	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H06634
Certificate Rent-All-number: 030

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 8/27/2018

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06636

Certificate Rent-All-number: 031

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06656

Certificate Rent-All-number: 032

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and access.	ОК
handles	~
casing	✓
chain bag + safety	V V
power plug	✓
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06642

Certificate Rent-All-number: 033

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/16/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and ac	ccss. On
handles	✓
casing	✓
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	s 💉
lift wheel	~
chain guide	✓
Final test	ОК
load test	*
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	V

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06654

Certificate Rent-All-number: 034

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06652
Certificate Rent-All-number: 035

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	4.00

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06617
Certificate Rent-All-number: 036

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/13/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06657
Certificate Rent-All-number: 037

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06618
Certificate Rent-All-number: 038

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	✓
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06661

Certificate Rent-All-number: 039

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06620

Certificate Rent-All-number: 040

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 6/28/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06624

Certificate Rent-All-number: 041

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/9/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

H06625

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 042

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/6/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06619

Certificate Rent-All-number: 043

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	\checkmark
hook suspension	✓
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06623
Certificate Rent-All-number: 044

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/2/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06632

Certificate Rent-All-number: 045

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 8/9/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	~
casing	~
chain bag + safety	\checkmark
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	Y
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06649

Certificate Rent-All-number: 046

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/2/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

H06644

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 047

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

. .

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06662

Certificate Rent-All-number: 048

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06648

Certificate Rent-All-number: 049

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 6/26/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

	handles	\checkmark
	casing	~
	chain bag + safety	✓
	power plug	\checkmark
	power cord	\checkmark
	Regular Test	ОК
	dead end stopper	\checkmark
	screw connections	\checkmark
	hook suspension	~
	chain	\checkmark
	hook tackle / block	\checkmark
	Inside inspection	ОК
	electric wiring	\checkmark
	brake system	\checkmark
	brake frame screws	~
	lift wheel	\checkmark
	chain guide	~
	Final test	ОК
	load test	\checkmark
	chain	~
	brake test	1
	overload test	1
	Overall	ОК
	CE - Marking	1
	A3 / NEN3140	1
- 4		

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06651

Certificate Rent-All-number: 050

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06641
Certificate Rent-All-number: 051

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 12/3/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pany

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H06650 Certificate Rent-All-number: 052

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/2/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	V
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06621
Certificate Rent-All-number: 053

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 11/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06655
Certificate Rent-All-number: 054

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/13/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06637
Certificate Rent-All-number: 055

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06643

Certificate Rent-All-number: 056

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06635 Certificate Rent-All-number: 057

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/14/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06658
Certificate Rent-All-number: 058

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/6/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06629

Certificate Rent-All-number: 059

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/11/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06622
Certificate Rent-All-number: 060

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/1/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06653

Certificate Rent-All-number: 061

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 11/12/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06659

Certificate Rent-All-number: 062

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/6/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 4

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06660

Certificate Rent-All-number: 063

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/27/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06663

Certificate Rent-All-number: 064

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/6/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06645
Certificate Rent-All-number: 065

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/6/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06664

Certificate Rent-All-number: 066

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	4.00

Hoist parts and access.



Elditi Vibeo - 300Hb Hiddito

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06647

Certificate Rent-All-number: 067

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 2/18/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06646

Certificate Rent-All-number: 068

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 8/2/2017

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	~
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H06631
Certificate Rent-All-number: 069

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	4.00

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

H06638

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 070

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/29/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06633

Certificate Rent-All-number: 071

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access	s. UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H06630

Certificate Rent-All-number: 072

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/28/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07136
Certificate Rent-All-number: 073

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 6/27/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist purts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07161
Certificate Rent-All-number: 074

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 3/10/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	~

Hoist parts and access.

handles

OK

IBAN: NL89 ABNA 0244 7231 68 • BIC: ABNANL2A • BTW nr. NL800733484 B01 • KvK nr. 10037697



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H07151
Certificate Rent-All-number: 075

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07146

Certificate Rent-All-number: 076

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 11/7/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07138

Certificate Rent-All-number: 077

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07140

Certificate Rent-All-number: 078

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 6/28/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8+1 Ton HH. 24 meter Description:

chain diameter 7 x 22 mm parten 2 **Dimensions:**

Material: steel + aluminium Heat treatment: non glowing H07144

Certificate Rent-All-number: 079

Identification number:

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 8/2/2017 Date of last test: 5/1/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07139

Certificate Rent-All-number: 080

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 7/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07158
Certificate Rent-All-number: 081

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 6/27/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07134
Certificate Rent-All-number: 082

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07143

Certificate Rent-All-number: 083

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 11/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langer

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07149
Certificate Rent-All-number: 084

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 11/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	~
hook tackle / block	\checkmark
Incide inconcetion	OK
Inside inspection	ОК
electric wiring	×,
brake system	×.
brake frame screws	~ .
lift wheel	~
chain guide	~
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~
	2.00

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07155

Certificate Rent-All-number: 085

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/13/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07154

Certificate Rent-All-number: 086

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking A3 / NEN3140	Hoist parts and access.	UK
chain bag + safety power plug power cord Regular Test OK dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection OK electric wiring brake system brake frame screws lift wheel chain guide Final test OK load test choin broke test Overall OK CE - Marking	handles	~
power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	casing	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test Overall OK CE - Marking	chain bag + safety	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power plug	~
dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power cord	4
screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	Regular Test	ОК
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	dead end stopper	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	screw connections	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook suspension	✓
Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	chain	\checkmark
electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook tackle / block	4
brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking	Inside inspection	ОК
brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK Overall OK CE - Marking	electric wiring	✓
lift wheel chain guide Final test load test chain broke test overload test Overall CE - Marking	brake system	\checkmark
chain guide Final test OK load test chain broke test overload test Overall OK CE - Marking	brake frame screws	\checkmark
Final test OK load test chain broke test overload test Overall OK CE - Marking	lift wheel	\checkmark
load test chain broke test overload test Overall CE - Marking	chain guide	4
chain brake test overload test Overall CE - Marking	Final test	ОК
brake test overload test Overall CE - Marking	load test	~
overload test Overall OK CE - Marking	chain	1
Overall OK CE - Marking ✓	brake test	4
CE - Marking	overload test	1
LUS - CENTRO CONTO (TEX	Overall	ОК
A3 / NEN3140 🗸	CE - Marking	1
	A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07156
Certificate Rent-All-number: 087

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/11/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07137
Certificate Rent-All-number: 088

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H07141
Certificate Rent-All-number: 089

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 3/19/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07135
Certificate Rent-All-number: 090

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07147
Certificate Rent-All-number: 091

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/2/2017

Date of last test: 9/19/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07159
Certificate Rent-All-number: 092

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/7/2017

Date of last test: 9/19/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Janger -

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07150

Certificate Rent-All-number: 093

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/7/2017

Date of last test: 7/12/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07152

Certificate Rent-All-number: 094

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/7/2017

Date of last test: 9/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 ~

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07142
Certificate Rent-All-number: 095

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/7/2017

Date of last test: 1/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

. .

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8+1 Ton HH. 24 meter Description:

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium Heat treatment: non glowing H07145

Certificate Rent-All-number: 096

Identification number:

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 8/7/2017 Date of last test: 1/17/2020 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07157
Certificate Rent-All-number: 097

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/7/2017

Date of last test: 2/27/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8+1 Ton HH. 24 meter Description:

chain diameter 7 x 22 mm parten 2 **Dimensions:**

Material: steel + aluminium Heat treatment: non glowing H07153

Certificate Rent-All-number: 098

Identification number:

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 8/7/2017 Date of last test: 5/28/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H07160

Certificate Rent-All-number: 099

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/7/2017

Date of last test: 6/26/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - <1

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H07148
Certificate Rent-All-number: 100

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 8/7/2017

Date of last test: 12/3/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Haugu

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12580
Certificate Rent-All-number: 101

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

,

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12573
Certificate Rent-All-number: 102

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/18/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12582
Certificate Rent-All-number: 103

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/18/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H12572
Certificate Rent-All-number: 104

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 10/31/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12552
Certificate Rent-All-number: 105

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/10/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - <

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Eldri Vibeo Soorb Middird

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12547
Certificate Rent-All-number: 106

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 9/19/2018

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12548
Certificate Rent-All-number: 107

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 5/6/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12549
Certificate Rent-All-number: 108

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H12556
Certificate Rent-All-number: 109

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/18/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12555
Certificate Rent-All-number: 110

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 6/28/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12581
Certificate Rent-All-number: 111

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 ~

Pieter Langen

moist parts and access.	O/
handles	\checkmark
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H12558
Certificate Rent-All-number: 112

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12557
Certificate Rent-All-number: 113

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 5/28/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

....

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12579
Certificate Rent-All-number: 114

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/18/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H12578
Certificate Rent-All-number: 115

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/14/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12576
Certificate Rent-All-number: 116

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 11/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12567
Certificate Rent-All-number: 117

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/10/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12575
Certificate Rent-All-number: 118

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/10/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

H12562

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 119

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminiumHeat treatment: non glowingIdentification number: H12550

Certificate Rent-All-number: 120

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 12/3/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12554
Certificate Rent-All-number: 121

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 9/9/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12551
Certificate Rent-All-number: 122

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/18/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.8

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12553
Certificate Rent-All-number: 123

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12565
Certificate Rent-All-number: 124

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking A3 / NEN3140	Hoist parts and access.	UK
chain bag + safety power plug power cord Regular Test OK dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection OK electric wiring brake system brake frame screws lift wheel chain guide Final test OK load test choin broke test Overall OK CE - Marking	handles	~
power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	casing	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test Overall OK CE - Marking	chain bag + safety	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power plug	~
dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power cord	4
screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	Regular Test	ОК
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	dead end stopper	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	screw connections	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook suspension	✓
Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	chain	\checkmark
electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook tackle / block	4
brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking	Inside inspection	ОК
brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK Overall OK CE - Marking	electric wiring	✓
lift wheel chain guide Final test load test chain broke test overload test Overall CE - Marking	brake system	\checkmark
chain guide Final test OK load test chain broke test overload test Overall OK CE - Marking	brake frame screws	\checkmark
Final test OK load test chain broke test overload test Overall OK CE - Marking	lift wheel	\checkmark
load test chain broke test overload test Overall CE - Marking	chain guide	4
chain brake test overload test Overall CE - Marking	Final test	ОК
brake test overload test Overall CE - Marking	load test	~
overload test Overall OK CE - Marking	chain	1
Overall OK CE - Marking ✓	brake test	4
CE - Marking	overload test	1
LUS - CENTRO CONTO (TEX	Overall	ОК
A3 / NEN3140 🗸	CE - Marking	1
	A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H12566

Certificate Rent-All-number: 125

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/21/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking A3 / NEN3140	Hoist parts and access.	UK
chain bag + safety power plug power cord Regular Test OK dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection OK electric wiring brake system brake frame screws lift wheel chain guide Final test OK load test choin broke test Overall OK CE - Marking	handles	~
power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	casing	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test Overall OK CE - Marking	chain bag + safety	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power plug	~
dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power cord	4
screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	Regular Test	ОК
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	dead end stopper	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	screw connections	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook suspension	✓
Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	chain	\checkmark
electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook tackle / block	4
brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking	Inside inspection	ОК
brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK Overall OK CE - Marking	electric wiring	✓
lift wheel chain guide Final test load test chain broke test overload test Overall CE - Marking	brake system	\checkmark
chain guide Final test OK load test chain broke test overload test Overall OK CE - Marking	brake frame screws	\checkmark
Final test OK load test chain broke test overload test Overall OK CE - Marking	lift wheel	\checkmark
load test chain broke test overload test Overall CE - Marking	chain guide	4
chain brake test overload test Overall CE - Marking	Final test	ОК
brake test overload test Overall CE - Marking	load test	~
overload test Overall OK CE - Marking	chain	1
Overall OK CE - Marking ✓	brake test	4
CE - Marking	overload test	1
LUS - CENTRO CONTO (TEX	Overall	ОК
A3 / NEN3140 🗸	CE - Marking	1
	A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminiumHeat treatment: non glowingIdentification number: H12568

Certificate Rent-All-number: 126

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 3/19/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	V
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12574
Certificate Rent-All-number: 127

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

H12560

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 128

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12559
Certificate Rent-All-number: 129

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/18/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. ОК handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H12564
Certificate Rent-All-number: 130

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12561
Certificate Rent-All-number: 131

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12571
Certificate Rent-All-number: 132

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 1/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H12563

Certificate Rent-All-number: 133

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 11/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H12569

Certificate Rent-All-number: 134

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12570
Certificate Rent-All-number: 135

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 9/9/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H12577
Certificate Rent-All-number: 136

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 1/5/2018

Date of last test: 5/29/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	\checkmark
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: 103325

Certificate Rent-All-number: 137

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103326
Certificate Rent-All-number: 138

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/19/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103327 Certificate Rent-All-number: 139

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103328 Certificate Rent-All-number: 140

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103329 Certificate Rent-All-number: 141

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 3/26/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103330 Certificate Rent-All-number: 142

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 11/12/2018

* Date no to tion used: MM//DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103331
Certificate Rent-All-number: 143

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103332 Certificate Rent-All-number: 144

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103333 Certificate Rent-All-number: 145

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hange

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103334 Certificate Rent-All-number: 146

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 10/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103335 Certificate Rent-All-number: 147

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 4/11/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.8

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103336 Certificate Rent-All-number: 148

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103337 Certificate Rent-All-number: 149

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	V
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103338
Certificate Rent-All-number: 150

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 6/28/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103339 Certificate Rent-All-number: 151

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/19/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103340 Certificate Rent-All-number: 152

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103341
Certificate Rent-All-number: 153

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 7/23/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103342
Certificate Rent-All-number: 154

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/13/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103343
Certificate Rent-All-number: 155

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 7/1/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103344
Certificate Rent-All-number: 156

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/19/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103345 Certificate Rent-All-number: 157

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 1/16/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103346
Certificate Rent-All-number: 158

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 7/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103347
Certificate Rent-All-number: 159

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 6/27/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103348
Certificate Rent-All-number: 160

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 7/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking A3 / NEN3140	Hoist parts and access.	UK
chain bag + safety power plug power cord Regular Test OK dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection OK electric wiring brake system brake frame screws lift wheel chain guide Final test OK load test choin broke test Overall OK CE - Marking	handles	~
power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	casing	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test Overall OK CE - Marking	chain bag + safety	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power plug	~
dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power cord	4
screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	Regular Test	ОК
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	dead end stopper	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	screw connections	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook suspension	✓
Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	chain	\checkmark
electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook tackle / block	4
brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking	Inside inspection	ОК
brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK Overall OK CE - Marking	electric wiring	✓
lift wheel chain guide Final test load test chain broke test overload test Overall CE - Marking	brake system	\checkmark
chain guide Final test OK load test chain broke test overload test Overall OK CE - Marking	brake frame screws	\checkmark
Final test OK load test chain broke test overload test Overall OK CE - Marking	lift wheel	\checkmark
load test chain broke test overload test Overall CE - Marking	chain guide	4
chain brake test overload test Overall CE - Marking	Final test	ОК
brake test overload test Overall CE - Marking	load test	~
overload test Overall OK CE - Marking	chain	1
Overall OK CE - Marking ✓	brake test	4
CE - Marking	overload test	1
LUS - CENTRO CONTO (TEX	Overall	ОК
A3 / NEN3140 🗸	CE - Marking	1
	A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103349
Certificate Rent-All-number: 161

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/6/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103350 Certificate Rent-All-number: 162

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 10/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103351
Certificate Rent-All-number: 163

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103352
Certificate Rent-All-number: 164

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 11/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist purts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	Ý
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103353 Certificate Rent-All-number: 165

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/21/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103354 Certificate Rent-All-number: 166

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/19/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non alowing

Heat treatment: non glowing Identification number: 103355

Certificate Rent-All-number: 167

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 3/10/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103356
Certificate Rent-All-number: 168

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 103357
Certificate Rent-All-number: 169

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 3/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103358

Certificate Rent-All-number: 170

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103359 Certificate Rent-All-number: 171

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/21/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	✓
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	\checkmark
chain	V
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103360 Certificate Rent-All-number: 172

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 4/4/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103361
Certificate Rent-All-number: 173

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG Safety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 1/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103362 Certificate Rent-All-number: 174

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 7/1/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103363 Certificate Rent-All-number: 175

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/21/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103364
Certificate Rent-All-number: 176

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 5/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103365 Certificate Rent-All-number: 177

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103366
Certificate Rent-All-number: 178

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing
Identification number: 103367

Certificate Rent-All-number: 179

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/27/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103368
Certificate Rent-All-number: 180

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 9/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing Identification number: 103369

Certificate Rent-All-number: 181

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/20/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 103370 Certificate Rent-All-number: 182

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 2/20/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103371
Certificate Rent-All-number: 183

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 3/26/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103372 Certificate Rent-All-number: 184

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 12/3/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103373 Certificate Rent-All-number: 185

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 11/12/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	✓
Final test	ок
load test	J/
chain	· V
brake test	1
overload test	1
a year was a season	
Overall	ок
CE - Marking	4
A3 / NEN3140	*

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+1 Ton HH. 24 meter

Dimensions: chain diameter 7 x 22 mm parten 2

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 103374
Certificate Rent-All-number: 186

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/4/2018

Date of last test: 3/12/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.