

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 101953 Certificate Rent-All-number: 001

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 2/26/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	~
casing	~
chain bag + safety	~
power plug	✓
power cord	✓
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	V
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 101954
Certificate Rent-All-number: 002

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 2/26/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

110136	parts and access.	OK
handl	es	~
casing	7	~
chain	bag + safety	\checkmark
power	r plug	\checkmark
power	r cord	\checkmark
Regul	ar Test	ОК
dead	end stopper	\checkmark
screw	connections	\checkmark
hook	suspension	\checkmark
chain		\checkmark
hook	tackle / block	\checkmark
Inside	inspection	ОК
electri	c wiring	\checkmark
brake	system	\checkmark
brake	frame screws	\checkmark
lift wh	neel	\checkmark
chain	guide	\checkmark
Final		ОК
load t		×
chain		~
brake		4
overlo	oad test	1
Overd	ıll	ОК
CE - N	Marking	1
11/20-01:57	NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 101955 Certificate Rent-All-number: 003

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 2/26/2018

Date of last test: 1/22/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	✓

Hoist parts and access.



Eldri Vibeo Soorib Riddird

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 101956 Certificate Rent-All-number: 004

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 2/26/2018

Date of last test: 1/20/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 101156
Certificate Rent-All-number: 005

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/1/2018

Date of last test: 2/12/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Eldri Vibeo Soorb Middird

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102207
Certificate Rent-All-number: 006

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/20/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non alowina

Heat treatment: non glowing Identification number: 102208

Certificate Rent-All-number: 007

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/20/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Poquiar Tost	ОК
Regular Test	OK -
dead end stopper	Ž
screw connections	×,
hook suspension	×.
chain	~ .
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
/IS/ IVLIVSIAU	•

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102209
Certificate Rent-All-number: 008

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	J∕
chain	v.
brake test	1
overload test	1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102210
Certificate Rent-All-number: 009

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

100

Pieter Langen Ci

Hoist parts and access.	ОК
handles	~
casing	Y Y Y
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	~
hook suspension	1
chain	Y Y
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	4
lift wheel	✓
chain guide	~
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	*



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102211
Certificate Rent-All-number: 010

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102212
Certificate Rent-All-number: 011

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: 102213

Certificate Rent-All-number: 012

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 2/15/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	4
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	Ý
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102214
Certificate Rent-All-number: 013

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102215
Certificate Rent-All-number: 014

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102216
Certificate Rent-All-number: 015

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102217
Certificate Rent-All-number: 016

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102218
Certificate Rent-All-number: 017

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	ž
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
7.57 11113140	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102219
Certificate Rent-All-number: 018

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102220
Certificate Rent-All-number: 019

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/17/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

110136	parts and access.	OK
handl	es	~
casing	7	~
chain	bag + safety	\checkmark
power	r plug	\checkmark
power	r cord	\checkmark
Regul	ar Test	ОК
dead	end stopper	\checkmark
screw	connections	\checkmark
hook	suspension	\checkmark
chain		\checkmark
hook	tackle / block	\checkmark
Inside	inspection	ОК
electri	c wiring	\checkmark
brake	system	\checkmark
brake	frame screws	\checkmark
lift wh	neel	\checkmark
chain	guide	\checkmark
Final		ОК
load t		×
chain		~
brake		4
overlo	oad test	1
Overd	ıll	ОК
CE - N	Marking	~
11/20-01:57	NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102221
Certificate Rent-All-number: 020

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	✓
hook suspension	\checkmark
chain	✓
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	\checkmark
chain	V
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: 102222

Certificate Rent-All-number: 021

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 4

Pieter Langen

noist parts and access.	UK
handles	\checkmark
casing	\checkmark
chain bag + safety	\checkmark
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
,	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 102223
Certificate Rent-All-number: 022

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102224
Certificate Rent-All-number: 023

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102225 Certificate Rent-All-number: 024

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/19/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 4

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102226
Certificate Rent-All-number: 025

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	4
power cord	4
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102227
Certificate Rent-All-number: 026

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102228
Certificate Rent-All-number: 027

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 102335 Certificate Rent-All-number: 028

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/20/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	<i>\sqrt{\sq}}}}}}}}}}}}} \sqrt{\sq}}}}}}}}}}}}}} \sqrt{\sq}}}}}}}}}}}} \sqit{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}}} \sqit{\sqrt{\sqrt{\sq}\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}} \sqrt{\sqrt{\sqrt</i>
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102336
Certificate Rent-All-number: 029

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	✓
lift wheel	\checkmark
chain guide	✓
Final test	ОК
load test	\checkmark
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102337 Certificate Rent-All-number: 030

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/20/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102338
Certificate Rent-All-number: 031

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/14/2018

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102339
Certificate Rent-All-number: 032

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	✓
lift wheel	\checkmark
chain guide	✓
Final test	ОК
load test	\checkmark
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: 102340

Certificate Rent-All-number: 033

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

	Hoist parts and access.	OK
	handles	✓
	casing	\checkmark
	chain bag + safety	Ý
	power plug	\checkmark
	power cord	4
	Regular Test	ОК
	dead end stopper	~
	screw connections	~
	hook suspension	~
	chain	~
	hook tackle / block	4
	Inside inspection	ОК
	electric wiring	~
	brake system	~
	brake frame screws	~
	lift wheel	✓
	chain guide	4
	Final test	ок
	load test	~
	chain	1
	brake test	1
	overload test	1
	Overall	ок
	CE - Marking	1
	A3 / NEN3140	V
- 4		

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102341
Certificate Rent-All-number: 034

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1
	4.00

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102342
Certificate Rent-All-number: 035

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 2/15/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	~
hook suspension	✓
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	Ý
lift wheel	✓
chain guide	✓
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
	-

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102343
Certificate Rent-All-number: 036

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 2/12/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	✓
lift wheel	\checkmark
chain guide	✓
Final test	ОК
load test	\checkmark
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102344
Certificate Rent-All-number: 037

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102345
Certificate Rent-All-number: 038

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: 102346

Certificate Rent-All-number: 039

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

110131	parts and access.	OK
handl	es	~
casing	7	~
chain	bag + safety	\checkmark
power	r plug	\checkmark
power	r cord	\checkmark
Regul	ar Test	ОК
dead	end stopper	\checkmark
screw	connections	\checkmark
hook	suspension	\checkmark
chain		\checkmark
hook	tackle / block	\checkmark
Inside	inspection	ОК
electri	c wiring	\checkmark
brake	system	\checkmark
brake	frame screws	\checkmark
lift wh	neel	\checkmark
chain	guide	\checkmark
Final		ОК
load t		×
chain		~
brake		4
overlo	oad test	1
Overd	ıll	ОК
CE - N	Marking	~
11/20-01:57	NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102347
Certificate Rent-All-number: 040

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 2/15/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jane and

Hoist parts and access.	ОК
handles	✓
casing	\checkmark
chain bag + safety	4
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102348
Certificate Rent-All-number: 041

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	✓

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102349
Certificate Rent-All-number: 042

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/19/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	~
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102350 Certificate Rent-All-number: 043

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102351
Certificate Rent-All-number: 044

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/17/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102352
Certificate Rent-All-number: 045

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

110131	parts and access.	OK
handl	es	~
casing	7	~
chain	bag + safety	\checkmark
power	r plug	\checkmark
power	r cord	\checkmark
Regul	ar Test	ОК
dead	end stopper	\checkmark
screw	connections	\checkmark
hook	suspension	\checkmark
chain		\checkmark
hook	tackle / block	\checkmark
Inside	inspection	ОК
electri	c wiring	\checkmark
brake	system	\checkmark
brake	frame screws	\checkmark
lift wh	neel	\checkmark
chain	guide	\checkmark
Final		ОК
load t		×
chain		~
brake		4
overlo	oad test	1
Overd	ıll	ОК
CE - N	Marking	~
11/20-01:57	NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102353
Certificate Rent-All-number: 046

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	ž
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
7.57 11113140	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102354
Certificate Rent-All-number: 047

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102355
Certificate Rent-All-number: 048

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 1/22/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 102356
Certificate Rent-All-number: 049

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: 102357

Certificate Rent-All-number: 050

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 3/12/2018

Date of last test: 3/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111218
Certificate Rent-All-number: 051

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 1/15/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 111219
Certificate Rent-All-number: 052

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	✓
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	\checkmark
chain	V
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111220
Certificate Rent-All-number: 053

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 7/16/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111221
Certificate Rent-All-number: 054

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 1/15/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	~

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 111222
Certificate Rent-All-number: 055

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 10/24/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111223
Certificate Rent-All-number: 056

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111224
Certificate Rent-All-number: 057

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 2/12/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111225
Certificate Rent-All-number: 058

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 1/20/2020

* Date no to tion used: MM//DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Hoist parts and access.	ОК
handles	✓
casing	\checkmark
chain bag + safety	4
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111226
Certificate Rent-All-number: 059

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	4
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	Ý
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111227
Certificate Rent-All-number: 060

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 111228
Certificate Rent-All-number: 061

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111229
Certificate Rent-All-number: 062

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 111230 Certificate Rent-All-number: 063

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 2/12/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Hoist parts and acces	ss. OK
handles	✓
casing	✓
chain bag + safety	Ž,
power plug	✓
power cord	~
Regular Test	ок
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	~
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	~
Final test	ок
load test	✓
chain	~
brake test	1
overload test	4
Overall	ок
CE - Marking	4
A3/NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111231
Certificate Rent-All-number: 064

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Janes -

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	✓
Final test	ок
load test	\checkmark
chain	V
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111232 Certificate Rent-All-number: 065

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 3/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	4
power plug	\checkmark
power cord	4
Regular Test	ОК
dead end stopper	~
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	✓
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 111233 Certificate Rent-All-number: 066

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1
	4.00

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: 111234

Certificate Rent-All-number: 067

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 3/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1
	4.00

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111235 Certificate Rent-All-number: 068

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1
	4.00

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111236
Certificate Rent-All-number: 069

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111237
Certificate Rent-All-number: 070

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

1 4

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111238
Certificate Rent-All-number: 071

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Danger

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111239
Certificate Rent-All-number: 072

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Danger

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1
	4.00

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 111240
Certificate Rent-All-number: 073

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111241
Certificate Rent-All-number: 074

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 2/12/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

Hoist parts and access.	ОК
handles	~
casing	\checkmark
chain bag + safety	4
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Eldri Vibeo Soorb Middird

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111242
Certificate Rent-All-number: 075

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Poquiar Tost	ОК
Regular Test	OK -
dead end stopper	Ž
screw connections	×,
hook suspension	×.
chain	~ .
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
/IS/ IVLIVSIAU	•

Hoist parts and access.



LIGHT VIDEO SOUND RIGGING

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111243
Certificate Rent-All-number: 076

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pany

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111244
Certificate Rent-All-number: 077

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111245
Certificate Rent-All-number: 078

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 10/24/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111246
Certificate Rent-All-number: 079

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 1/15/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

A anse

Pieter Langen

110136	parts and access.	OK
handl	es	~
casing	7	~
chain	bag + safety	\checkmark
power	r plug	\checkmark
power	r cord	\checkmark
Regul	ar Test	ОК
dead	end stopper	\checkmark
screw	connections	\checkmark
hook	suspension	\checkmark
chain		\checkmark
hook	tackle / block	\checkmark
Inside	inspection	ОК
electri	c wiring	\checkmark
brake	system	\checkmark
brake	frame screws	\checkmark
lift wh	neel	\checkmark
chain	guide	\checkmark
Final		ОК
load t		×
chain		~
brake		4
overlo	oad test	1
Overd	ıll	ОК
CE - N	Marking	~
11/20-01:57	NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111247
Certificate Rent-All-number: 080

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: 111248
Certificate Rent-All-number: 081

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Haugu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
broke test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111249
Certificate Rent-All-number: 082

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

110136	parts and access.	OK
handl	es	~
casing	7	~
chain	bag + safety	\checkmark
power	r plug	\checkmark
power	r cord	\checkmark
Regul	ar Test	ОК
dead	end stopper	\checkmark
screw	connections	\checkmark
hook	suspension	\checkmark
chain		\checkmark
hook	tackle / block	\checkmark
Inside	inspection	ОК
electri	c wiring	\checkmark
brake	system	\checkmark
brake	frame screws	\checkmark
lift wh	neel	\checkmark
chain	guide	\checkmark
Final		ОК
load t		×
chain		~
brake		4
overlo	oad test	1
Overd	ıll	ОК
CE - N	Marking	~
11/20-01:57	NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111250 Certificate Rent-All-number: 083

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.30

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: 111251

Certificate Rent-All-number: 084

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 2/12/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



LIGHT VIDEO SOUND RIGGING

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111252 Certificate Rent-All-number: 085

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
,	-

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 111253 Certificate Rent-All-number: 086

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 10/24/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 110568
Certificate Rent-All-number: 087

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 1/10/2019

Date of last test: 4/16/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	× × × ×
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter
Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 110569

Certificate Rent-All-number: 088

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 1/10/2019

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
,	-

Hoist parts and access.



LIGHT VIDEO SOUND RIGGING

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: 112304 Certificate Rent-All-number: 089

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 1/10/2019

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

,

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	4.00

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: 112305

Certificate Rent-All-number: 090

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 1/10/2019

Date of last test: 1/22/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
,	-

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8+ 160KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: J06105 Certificate Rent-All-number: 091

Strength

Proof load applied: 2,00 kN
Working load limit: 160 KG
Safety factor: 4:01

Manufacturing date: 11/12/2019

Date of last test: 11/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
,	-

Hoist parts and access.