

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C02008
Certificate Rent-All-number: 024

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/15/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test OK

dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection OK

electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test OK

load test	✓
chain	✓
brake test	✓
overload test	✓

Overall OK

CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C02007*
 Certificate Rent-All-number: *025*

Strength

Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *3/29/2012*
 Date of last test : *2/21/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	<i>✓</i>
<i>casing</i>	<i>✓</i>
<i>chain bag + safety</i>	<i>✓</i>
<i>power plug</i>	<i>✓</i>
<i>power cord</i>	<i>✓</i>
Regular Test	OK
<i>dead end stopper</i>	<i>✓</i>
<i>screw connections</i>	<i>✓</i>
<i>hook suspension</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>hook tackle / block</i>	<i>✓</i>
Inside inspection	OK
<i>electric wiring</i>	<i>✓</i>
<i>brake system</i>	<i>✓</i>
<i>brake frame screws</i>	<i>✓</i>
<i>lift wheel</i>	<i>✓</i>
<i>chain guide</i>	<i>✓</i>
Final test	OK
<i>load test</i>	<i>✓</i>
<i>chain</i>	<i>✓</i>
<i>brake test</i>	<i>✓</i>
<i>overload test</i>	<i>✓</i>
Overall	OK
<i>CE - Marking</i>	<i>✓</i>
<i>A3 / NEN3140</i>	<i>✓</i>

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: <i>Chainmaster</i> Description: <i>Chainmaster D8+ 500KG HH. 36 meter</i> Dimensions: <i>chain diameter 7 x 22 mm parten 1</i> Material: <i>steel + aluminium</i> Heat treatment: <i>non glowing</i> Identification number: <i>C02006</i> Certificate Rent-All-number: <i>026</i>	Hoist parts and access. OK <i>handles</i> ✓ <i>casing</i> ✓ <i>chain bag + safety</i> ✓ <i>power plug</i> ✓ <i>power cord</i> ✓
Strength Proof load applied: <i>6,25 kN</i> Working load limit: <i>500 KG</i> Safety factor: <i>4:01</i>	Regular Test OK <i>dead end stopper</i> ✓ <i>screw connections</i> ✓ <i>hook suspension</i> ✓ <i>chain</i> ✓ <i>hook tackle / block</i> ✓
Manufacturing date: <i>3/29/2012</i> Date of last test : <i>2/28/2020</i> <small>* Date notation used : MM/DD/YYYY</small>	Inside inspection OK <i>electric wiring</i> ✓ <i>brake system</i> ✓ <i>brake frame screws</i> ✓ <i>lift wheel</i> ✓ <i>chain guide</i> ✓
Name and address of supplier: <i>Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands</i>	Final test OK <i>load test</i> ✓ <i>chain</i> ✓ <i>brake test</i> ✓ <i>overload test</i> ✓
Signature of competent engineer  Pieter Langen	Overall OK <i>CE - Marking</i> ✓ <i>A3 / NEN3140</i> ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C02011
Certificate Rent-All-number: 027

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/28/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 500KG HH. 36 meter*
Dimensions: *chain diameter 7 x 22 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C01989*
Certificate Rent-All-number: *030*

Strength

Proof load applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *3/29/2012*

Date of last test : *1/24/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01992
 Certificate Rent-All-number: 031

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 1/24/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C01990
Certificate Rent-All-number: 034

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/27/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01991
 Certificate Rent-All-number: 036


Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 2/21/2020
** Date notation used :* MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
 Regular Test	 OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
 Inside inspection	 OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
 Final test	 OK
load test	✓
chain	✓
brake test	✓
overload test	✓
 Overall	 OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C01999
Certificate Rent-All-number: 037

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 3/29/2012
Date of last test : 2/28/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: 907684
Certificate Rent-All-number: 040

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/23/2009
Date of last test : 11/8/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 500KG HH. 36 meter*
Dimensions: *chain diameter 7 x 22 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C01649*
Certificate Rent-All-number: *042*

Strength

Proof load applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *3/29/2012*

Date of last test : *9/24/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C01650
Certificate Rent-All-number: 043

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/30/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C01654*
 Certificate Rent-All-number: *049*

Strength

Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *3/29/2012*


Date of last test : *1/15/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01660
 Certificate Rent-All-number: 050

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012


Date of last test : 2/21/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: C01659
Certificate Rent-All-number: 051

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 3/29/2012
Date of last test : 1/15/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer




Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer:	Chainmaster	Hoist parts and access.	OK
Description:	Chainmaster D8+ 500KG HH. 36 meter	handles	✓
Dimensions:	chain diameter 7 x 22 mm parten 1	casing	✓
Material:	steel + aluminium	chain bag + safety	✓
Heat treatment:	non glowing	power plug	✓
Identification number:	C01658	power cord	✓
Certificate Rent-All-number:	052		
		Regular Test	OK
Strength		dead end stopper	✓
Proof load applied:	6,25 kN	screw connections	✓
Working load limit:	500 KG	hook suspension	✓
Safety factor:	4:01	chain	✓
		hook tackle / block	✓
Manufacturing date:	3/29/2012	Inside inspection	OK
Date of last test :	2/21/2020	electric wiring	✓
* Date notation used :	MM/DD/YYYY	brake system	✓
		brake frame screws	✓
		lift wheel	✓
		chain guide	✓
Name and address of supplier:		Final test	OK
	Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands	load test	✓
Signature of competent engineer		chain	✓
		brake test	✓
		overload test	✓
		Overall	OK
		CE - Marking	✓
		A3 / NEN3140	✓

Pieter Longen

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 500KG HH. 36 meter*
Dimensions: *chain diameter 7 x 22 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *C01994*
Certificate Rent-All-number: *059*

Strength

Proof load applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *3/29/2012*


Date of last test : *1/24/2020*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G03489
Certificate Rent-All-number: 063

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016
Date of last test : 3/5/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 500KG HH. 36 meter*
Dimensions: *chain diameter 7 x 22 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *G03487*
Certificate Rent-All-number: *064*

Strength

Proof load applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *5/23/2016*

Date of last test : *9/16/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G03485*
 Certificate Rent-All-number: *066*

Strength

Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *5/23/2016*

Date of last test : *9/24/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G03480
Certificate Rent-All-number: 068

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016


Date of last test : 2/28/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G03491*
 Certificate Rent-All-number: *070*

Strength

Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *5/23/2016*
 Date of last test : *2/21/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *G03483*
 Certificate Rent-All-number: *072*

Strength

Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *5/23/2016*

Date of last test : *2/28/2020*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03490
 Certificate Rent-All-number: 073

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016
 Date of last test : 2/21/2020
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H04056*
 Certificate Rent-All-number: *075*

Strength

Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *5/5/2017*
 Date of last test : *1/30/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.


Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H04057*
 Certificate Rent-All-number: *076*

Strength
 Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *5/5/2017*
 Date of last test : *1/28/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓



LIGHT | VIDEO | SOUND | RIGGING

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H04058*
 Certificate Rent-All-number: *077*

Strength
 Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *5/5/2017*
 Date of last test : *3/11/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 500KG HH. 36 meter*
Dimensions: *chain diameter 7 x 22 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H04059*
Certificate Rent-All-number: *078*

Strength

Proof load applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *5/5/2017*
Date of last test : *2/21/2020*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8+ 500KG HH. 36 meter*
Dimensions: *chain diameter 7 x 22 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H04063*
Certificate Rent-All-number: *082*

Strength

Proof load applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *5/5/2017*
Date of last test : *1/28/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H04064
Certificate Rent-All-number: 083

Strength
Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 5/5/2017
Date of last test : 1/28/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H04069
Certificate Rent-All-number: 088

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 5/5/2017
Date of last test : 2/21/2020
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H04071*
 Certificate Rent-All-number: *090*

Strength

Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *5/5/2017*
 Date of last test : *1/24/2020*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

