

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907685
 Certificate Rent-All-number: 001

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 11/22/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907691
 Certificate Rent-All-number: 002

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907687
 Certificate Rent-All-number: 003

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907690
 Certificate Rent-All-number: 004

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 1/16/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907689
 Certificate Rent-All-number: 005

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 5/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907693
 Certificate Rent-All-number: 006

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 10/25/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907688
 Certificate Rent-All-number: 007

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907686
 Certificate Rent-All-number: 008

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009
 Date of last test : 5/4/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907692
 Certificate Rent-All-number: 009

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 1/28/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01652
 Certificate Rent-All-number: 010

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 2/12/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907682
 Certificate Rent-All-number: 011

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 1/16/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907683
 Certificate Rent-All-number: 012

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01979
 Certificate Rent-All-number: 013

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01988
 Certificate Rent-All-number: 014

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/12/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01983
 Certificate Rent-All-number: 015

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01977
 Certificate Rent-All-number: 016

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/12/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01978
 Certificate Rent-All-number: 017

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/7/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01980
 Certificate Rent-All-number: 018

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 10/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01987
 Certificate Rent-All-number: 019

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01534
 Certificate Rent-All-number: 020

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/26/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02002
 Certificate Rent-All-number: 021

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 10/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01996
 Certificate Rent-All-number: 022

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/30/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02012
 Certificate Rent-All-number: 023

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 5/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02008
 Certificate Rent-All-number: 024

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 5/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02007
 Certificate Rent-All-number: 025

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/24/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02006
 Certificate Rent-All-number: 026

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/14/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02011
 Certificate Rent-All-number: 027

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02010
 Certificate Rent-All-number: 028

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02000
 Certificate Rent-All-number: 029

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01989
 Certificate Rent-All-number: 030

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 12/6/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01992
 Certificate Rent-All-number: 031

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/28/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02001
 Certificate Rent-All-number: 032

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 11/22/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01998
 Certificate Rent-All-number: 033

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 11/22/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01990
 Certificate Rent-All-number: 034

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01993
 Certificate Rent-All-number: 035

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/28/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01991
 Certificate Rent-All-number: 036

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01999
 Certificate Rent-All-number: 037

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 5/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01535
 Certificate Rent-All-number: 038

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8+ 500KG HH. 36 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C01657*
 Certificate Rent-All-number: *039*

Strength
 Proof load applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *3/29/2012*
 Date of last test : *2/16/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: 907684
 Certificate Rent-All-number: 040

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 12/23/2009

Date of last test : 11/15/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01651
 Certificate Rent-All-number: 041

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01649
 Certificate Rent-All-number: 042

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 10/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01650
 Certificate Rent-All-number: 043

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/16/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02009
 Certificate Rent-All-number: 044

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/28/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02005
 Certificate Rent-All-number: 045

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 5/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01986
 Certificate Rent-All-number: 046

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 10/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01997
 Certificate Rent-All-number: 047

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 12/3/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01982
 Certificate Rent-All-number: 048

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 3/6/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01654
 Certificate Rent-All-number: 049

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 5/2/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01660
 Certificate Rent-All-number: 050

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/30/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01659
 Certificate Rent-All-number: 051

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 11/1/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01658
 Certificate Rent-All-number: 052

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01655
 Certificate Rent-All-number: 053

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01656
 Certificate Rent-All-number: 054

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 5/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01981
 Certificate Rent-All-number: 055

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/17/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01984
 Certificate Rent-All-number: 056

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 2/7/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01985
 Certificate Rent-All-number: 057

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/16/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02004
 Certificate Rent-All-number: 058

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012
 Date of last test : 11/22/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01994
 Certificate Rent-All-number: 059

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01995
 Certificate Rent-All-number: 060

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/30/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C01653
 Certificate Rent-All-number: 061

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 1/16/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C02003
 Certificate Rent-All-number: 062

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 3/29/2012

Date of last test : 5/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03489
 Certificate Rent-All-number: 063

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016
 Date of last test : 10/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03487
 Certificate Rent-All-number: 064

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016
 Date of last test : 3/6/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03488
 Certificate Rent-All-number: 065

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 9/5/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03485
 Certificate Rent-All-number: 066

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 8/27/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03486
 Certificate Rent-All-number: 067

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 5/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03480
 Certificate Rent-All-number: 068

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 1/16/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03481
 Certificate Rent-All-number: 069

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03491
 Certificate Rent-All-number: 070

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 5/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03482
 Certificate Rent-All-number: 071

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 1/28/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03483
 Certificate Rent-All-number: 072

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 2/16/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G03490
Certificate Rent-All-number: 073

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 1/30/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8+ 500KG HH. 36 meter
Dimensions: chain diameter 7 x 22 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: G03484
Certificate Rent-All-number: 074

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 5/23/2016

Date of last test : 2/7/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04056
 Certificate Rent-All-number: 075

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 1/30/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04057
 Certificate Rent-All-number: 076

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 11/22/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04058
 Certificate Rent-All-number: 077

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/2/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04059
 Certificate Rent-All-number: 078

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/16/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04060
 Certificate Rent-All-number: 079

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017

Date of last test : 5/5/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04061
 Certificate Rent-All-number: 080

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/16/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04062
 Certificate Rent-All-number: 081

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017

Date of last test : 3/6/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04063
 Certificate Rent-All-number: 082

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04064
 Certificate Rent-All-number: 083

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04065
 Certificate Rent-All-number: 084

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 8/28/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04066
 Certificate Rent-All-number: 085

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 8/28/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04067
 Certificate Rent-All-number: 086

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/16/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04068
 Certificate Rent-All-number: 087

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04069
 Certificate Rent-All-number: 088

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 8/28/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04070
 Certificate Rent-All-number: 089

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/16/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04071
 Certificate Rent-All-number: 090

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 1/17/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04072
 Certificate Rent-All-number: 091

Strength
 Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 1/30/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04073
 Certificate Rent-All-number: 092

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 1/28/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04074
 Certificate Rent-All-number: 093

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017

Date of last test : 3/6/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8+ 500KG HH. 36 meter
 Dimensions: chain diameter 7 x 22 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H04075
 Certificate Rent-All-number: 094

Strength

Proof load applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 5/5/2017
 Date of last test : 5/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓