

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05121
 Certificate Rent-All-number: 001

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 10/23/2017
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05122
 Certificate Rent-All-number: 002

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 10/23/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05123
 Certificate Rent-All-number: 003

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/13/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05124
 Certificate Rent-All-number: 004

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/13/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05125
 Certificate Rent-All-number: 005

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 3/29/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05126
 Certificate Rent-All-number: 006

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/14/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: D10077
 Certificate Rent-All-number: 007

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/9/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05127
 Certificate Rent-All-number: 008

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 8/28/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05128
 Certificate Rent-All-number: 009

Strength
 Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 6/14/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05129
 Certificate Rent-All-number: 010

Strength
 Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 7/2/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05130
 Certificate Rent-All-number: 011

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05132
 Certificate Rent-All-number: 013

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/15/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05133
 Certificate Rent-All-number: 014

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05134
 Certificate Rent-All-number: 015

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 8/28/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05135
 Certificate Rent-All-number: 016

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/15/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05136
 Certificate Rent-All-number: 017

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/19/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05137
 Certificate Rent-All-number: 018

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/27/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05138
 Certificate Rent-All-number: 019

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 10/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05139
 Certificate Rent-All-number: 020

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 8/28/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05140
 Certificate Rent-All-number: 021

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/29/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05141
 Certificate Rent-All-number: 022

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 10/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05142
 Certificate Rent-All-number: 023

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/19/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05143
 Certificate Rent-All-number: 024

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/19/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05144
 Certificate Rent-All-number: 025

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 8/28/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05145
 Certificate Rent-All-number: 026

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 11/22/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05146
 Certificate Rent-All-number: 027

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/17/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05147
 Certificate Rent-All-number: 028

Strength
 Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 8/28/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05149
 Certificate Rent-All-number: 030

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/29/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05151
 Certificate Rent-All-number: 032

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05152
 Certificate Rent-All-number: 033

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 12/12/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05153
 Certificate Rent-All-number: 034

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 1/14/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05154
 Certificate Rent-All-number: 035

Strength
 Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 6/13/2017
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03455
 Certificate Rent-All-number: 036

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 5/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05155
 Certificate Rent-All-number: 037

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 9/19/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05156
 Certificate Rent-All-number: 038

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 11/22/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05157
 Certificate Rent-All-number: 039

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/18/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05158
 Certificate Rent-All-number: 040

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/17/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05159
 Certificate Rent-All-number: 041

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 10/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G03463
 Certificate Rent-All-number: 042

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 5/9/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05160
 Certificate Rent-All-number: 043

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/7/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05161
 Certificate Rent-All-number: 044

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/14/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05162
 Certificate Rent-All-number: 045

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/17/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05163
 Certificate Rent-All-number: 046

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 8/28/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05164
 Certificate Rent-All-number: 047

Strength
 Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 6/14/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05165
 Certificate Rent-All-number: 048

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 6/13/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05166
 Certificate Rent-All-number: 049

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/19/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05167
 Certificate Rent-All-number: 050

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/29/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G10763
 Certificate Rent-All-number: 051

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 5/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05168
 Certificate Rent-All-number: 052

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: G10765
 Certificate Rent-All-number: 053

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 5/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05169
 Certificate Rent-All-number: 054

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/24/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05170
 Certificate Rent-All-number: 055

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 11/22/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05171
 Certificate Rent-All-number: 056

Strength
 Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 10/2/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer


 Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05172
 Certificate Rent-All-number: 057

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 8/28/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05173
 Certificate Rent-All-number: 058

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 10/4/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05174
 Certificate Rent-All-number: 059

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 7/2/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05175
 Certificate Rent-All-number: 060

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/17/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05176
 Certificate Rent-All-number: 061

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/24/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test **OK**
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection **OK**
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test **OK**
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall **OK**
 CE - Marking ✓
 A3 / NEN3140 ✓

