

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10165  
 Certificate Rent-All-number: 001

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 5/1/2017  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10166  
 Certificate Rent-All-number: 002

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/8/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10075  
 Certificate Rent-All-number: 003

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10076  
 Certificate Rent-All-number: 004

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 5/1/2017  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10078  
 Certificate Rent-All-number: 005

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/8/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10081  
 Certificate Rent-All-number: 006

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 5/1/2017  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10067  
 Certificate Rent-All-number: 008

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 6/28/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10074  
 Certificate Rent-All-number: 009

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/9/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10064  
 Certificate Rent-All-number: 010

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 10/15/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10079  
 Certificate Rent-All-number: 011

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10080  
 Certificate Rent-All-number: 012

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 10/15/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10069  
 Certificate Rent-All-number: 013

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10072  
 Certificate Rent-All-number: 014

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 6/21/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10060  
 Certificate Rent-All-number: 015

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 12/6/2017  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10070  
 Certificate Rent-All-number: 016

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** OK  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** OK  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** OK  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** OK  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** OK  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10068  
 Certificate Rent-All-number: 017

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 10/15/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10061  
 Certificate Rent-All-number: 018

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 12/14/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10073  
 Certificate Rent-All-number: 019

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 6/7/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10071  
 Certificate Rent-All-number: 020

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 5/8/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10063  
 Certificate Rent-All-number: 021

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014

Date of last test : 6/7/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: D10062  
 Certificate Rent-All-number: 022

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 6/28/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: E03897  
 Certificate Rent-All-number: 023

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 5/1/2017  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: E03896  
 Certificate Rent-All-number: 024

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/6/2014  
 Date of last test : 8/27/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: E04144  
 Certificate Rent-All-number: 025

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 12/11/2015

Date of last test : 6/28/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: E04145  
 Certificate Rent-All-number: 026

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 12/11/2015

Date of last test : 5/9/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03467  
 Certificate Rent-All-number: 027

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 7/17/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03458  
 Certificate Rent-All-number: 028

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 6/7/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

  

Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03466  
 Certificate Rent-All-number: 029

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 11/12/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03450  
 Certificate Rent-All-number: 030

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 5/9/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03452  
 Certificate Rent-All-number: 031

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03459  
 Certificate Rent-All-number: 032

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 10/15/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03457  
 Certificate Rent-All-number: 033

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 10/12/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03449  
 Certificate Rent-All-number: 034

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 5/1/2017  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03447  
 Certificate Rent-All-number: 035

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03454  
 Certificate Rent-All-number: 037

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 11/1/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03464  
 Certificate Rent-All-number: 038

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 6/21/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03453  
 Certificate Rent-All-number: 039

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 12/6/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03445  
 Certificate Rent-All-number: 040

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 5/9/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03448  
 Certificate Rent-All-number: 041

**Strength**

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 5/1/2017  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03461  
 Certificate Rent-All-number: 043

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 5/9/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03456  
 Certificate Rent-All-number: 044

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 7/17/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03460  
 Certificate Rent-All-number: 045

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03465  
 Certificate Rent-All-number: 046

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 7/17/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03462  
 Certificate Rent-All-number: 047

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016

Date of last test : 6/28/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03444  
 Certificate Rent-All-number: 048

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 5/9/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G03446  
 Certificate Rent-All-number: 049

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 5/10/2016  
 Date of last test : 11/12/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*  
 Description: *Chainmaster D8 2 Ton HH. 36 meter*  
 Dimensions: *chain diameter 7 x 22 mm parten 2*  
 Material: *steel + aluminium*  
 Heat treatment: *non glowing*  
 Identification number: *G03451*  
 Certificate Rent-All-number: *050*

### Strength

Proof load applied: *12,5 kN single part*  
 Working load limit: *2000 KG*  
 Safety factor: *4:01*

Manufacturing date: *5/10/2016*

Date of last test : *5/9/2018*

\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel*

Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag + safety* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10764  
 Certificate Rent-All-number: 052

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 5/1/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10766  
 Certificate Rent-All-number: 054

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 12/6/2017

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

### Hoist parts and access. OK

handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

### Regular Test OK

dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

### Inside inspection OK

electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

### Final test OK

load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

### Overall OK

CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10767  
 Certificate Rent-All-number: 055

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016  
 Date of last test : 5/9/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

  
 Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10768  
 Certificate Rent-All-number: 056

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 6/28/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10769  
 Certificate Rent-All-number: 057

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 6/7/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10770  
 Certificate Rent-All-number: 058

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016  
 Date of last test : 12/14/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |



## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10771  
 Certificate Rent-All-number: 059

**Strength**  
 Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016  
 Date of last test : 8/27/2018  
 \* Date notation used : MM/DD/YYYY

Name and address of supplier:  
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

  

Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10772  
 Certificate Rent-All-number: 060

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 5/9/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10773  
 Certificate Rent-All-number: 061

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 7/17/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

**Hoist parts and access.** **OK**  
 handles ✓  
 casing ✓  
 chain bag + safety ✓  
 power plug ✓  
 power cord ✓

**Regular Test** **OK**  
 dead end stopper ✓  
 screw connections ✓  
 hook suspension ✓  
 chain ✓  
 hook tackle / block ✓

**Inside inspection** **OK**  
 electric wiring ✓  
 brake system ✓  
 brake frame screws ✓  
 lift wheel ✓  
 chain guide ✓

**Final test** **OK**  
 load test ✓  
 chain ✓  
 brake test ✓  
 overload test ✓

**Overall** **OK**  
 CE - Marking ✓  
 A3 / NEN3140 ✓

## Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster  
 Description: Chainmaster D8 2 Ton HH. 36 meter  
 Dimensions: chain diameter 7 x 22 mm parten 2  
 Material: steel + aluminium  
 Heat treatment: non glowing  
 Identification number: G10774  
 Certificate Rent-All-number: 062

### Strength

Proof load applied: 12,5 kN single part  
 Working load limit: 2000 KG  
 Safety factor: 4:01

Manufacturing date: 11/8/2016

Date of last test : 6/28/2018

\* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

|                                |           |
|--------------------------------|-----------|
| <b>Hoist parts and access.</b> | <b>OK</b> |
| handles                        | ✓         |
| casing                         | ✓         |
| chain bag + safety             | ✓         |
| power plug                     | ✓         |
| power cord                     | ✓         |
| <b>Regular Test</b>            | <b>OK</b> |
| dead end stopper               | ✓         |
| screw connections              | ✓         |
| hook suspension                | ✓         |
| chain                          | ✓         |
| hook tackle / block            | ✓         |
| <b>Inside inspection</b>       | <b>OK</b> |
| electric wiring                | ✓         |
| brake system                   | ✓         |
| brake frame screws             | ✓         |
| lift wheel                     | ✓         |
| chain guide                    | ✓         |
| <b>Final test</b>              | <b>OK</b> |
| load test                      | ✓         |
| chain                          | ✓         |
| brake test                     | ✓         |
| overload test                  | ✓         |
| <b>Overall</b>                 | <b>OK</b> |
| CE - Marking                   | ✓         |
| A3 / NEN3140                   | ✓         |