

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10645*
 Certificate Rent-All-number: *001*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/6/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C00657
 Certificate Rent-All-number: 002

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 3/14/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00392*
 Certificate Rent-All-number: *003*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/23/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00382*
 Certificate Rent-All-number: *004*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/23/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00654*
 Certificate Rent-All-number: *006*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: C00659
 Certificate Rent-All-number: 007

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 9/26/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00660*
 Certificate Rent-All-number: *008*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00383*
 Certificate Rent-All-number: *011*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00386*
 Certificate Rent-All-number: *014*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00394*
 Certificate Rent-All-number: *016*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00658*
 Certificate Rent-All-number: *018*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00661*
 Certificate Rent-All-number: *019*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00662*
 Certificate Rent-All-number: *021*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00384*
 Certificate Rent-All-number: *022*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00389*
 Certificate Rent-All-number: *023*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/6/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00391*
 Certificate Rent-All-number: *024*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/8/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10638*
 Certificate Rent-All-number: *025*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10641*
 Certificate Rent-All-number: *026*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10640*
 Certificate Rent-All-number: *027*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B10642
 Certificate Rent-All-number: 028

Strength
 Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012
 Date of last test : 9/27/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00403*
 Certificate Rent-All-number: *029*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10647*
 Certificate Rent-All-number: *031*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/25/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B10639
 Certificate Rent-All-number: 032

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 1/26/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10650*
 Certificate Rent-All-number: *033*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/8/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10637*
 Certificate Rent-All-number: *034*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/23/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00404*
 Certificate Rent-All-number: *035*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10649*
 Certificate Rent-All-number: *036*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00400*
 Certificate Rent-All-number: *038*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/2/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00405*
 Certificate Rent-All-number: *039*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10643*
 Certificate Rent-All-number: *040*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10646*
 Certificate Rent-All-number: *041*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00395*
 Certificate Rent-All-number: *042*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00402*
 Certificate Rent-All-number: *044*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00397*
 Certificate Rent-All-number: *045*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/23/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *C00401*
 Certificate Rent-All-number: *046*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/25/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B10648*
 Certificate Rent-All-number: *047*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04045
 Certificate Rent-All-number: 049

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 2/23/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04050*
 Certificate Rent-All-number: *050*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/26/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04052*
 Certificate Rent-All-number: *051*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/6/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04068*
 Certificate Rent-All-number: *052*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/8/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04064*
 Certificate Rent-All-number: *053*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/23/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04058*
 Certificate Rent-All-number: *054*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/25/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04053*
 Certificate Rent-All-number: *055*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK

dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK

electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK

load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK

CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04057*
 Certificate Rent-All-number: *056*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/23/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04051*
 Certificate Rent-All-number: *057*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/25/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04063*
 Certificate Rent-All-number: *058*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *1/21/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04046*
 Certificate Rent-All-number: *059*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *2/6/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04049*
 Certificate Rent-All-number: *061*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04056*
 Certificate Rent-All-number: *062*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/26/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04055
 Certificate Rent-All-number: 063

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 9/26/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04060
 Certificate Rent-All-number: 064

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 9/26/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04066*
 Certificate Rent-All-number: *065*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *3/15/2012*

Date of last test : *2/6/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04065
 Certificate Rent-All-number: 066

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 3/15/2012

Date of last test : 9/26/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04062*
 Certificate Rent-All-number: *067*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *3/15/2012*

Date of last test : *1/9/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04059*
 Certificate Rent-All-number: *068*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *3/15/2012*

Date of last test : *1/26/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 250KG HH. 24 meter
 Dimensions: chain diameter 4 x 12 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: B04048
 Certificate Rent-All-number: 069

Strength

Proof load applied: 3,12 kN
 Working load limit: 250 KG
 Safety factor: 4:01

Manufacturing date: 1/30/2012

Date of last test : 2/6/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 250KG HH. 24 meter*
 Dimensions: *chain diameter 4 x 12 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *B04061*
 Certificate Rent-All-number: *071*

Strength

Proof load applied: *3,12 kN*
 Working load limit: *250 KG*
 Safety factor: *4:01*

Manufacturing date: *1/30/2012*

Date of last test : *9/27/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

