

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04922 Certificate Rent-All-number: 002

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 12/28/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

handles	✓
casing	\checkmark
chain bag + safety	\checkmark
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	4
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04928
Certificate Rent-All-number: 003

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: C04917

Certificate Rent-All-number: 004

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/12/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04921
Certificate Rent-All-number: 005

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	Ý
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04924
Certificate Rent-All-number: 006

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/5/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04915
Certificate Rent-All-number: 007

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 4/29/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium Heat treatment: non glowing

C04930 Certificate Rent-All-number: 008

Identification number:

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 8/21/2012 Date of last test: 1/30/2020 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04923
Certificate Rent-All-number: 009

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04931
Certificate Rent-All-number: 010

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04913
Certificate Rent-All-number: 011

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C05120
Certificate Rent-All-number: 012

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



LIGHT VIDEO SOUND RIGORNO

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C05123
Certificate Rent-All-number: 013

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/12/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C05122
Certificate Rent-All-number: 014

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 10/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04914
Certificate Rent-All-number: 015

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04907 Certificate Rent-All-number: 016

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04919
Certificate Rent-All-number: 017

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/12/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C05121
Certificate Rent-All-number: 018

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	Y Y Y
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	~
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	*
The state of the s	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C05119
Certificate Rent-All-number: 019

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04908
Certificate Rent-All-number: 020

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04916
Certificate Rent-All-number: 021

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04920 Certificate Rent-All-number: 022

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/12/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C04918
Certificate Rent-All-number: 023

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/12/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04927
Certificate Rent-All-number: 024

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04926
Certificate Rent-All-number: 025

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C04925
Certificate Rent-All-number: 026

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	O/
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07377
Certificate Rent-All-number: 027

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 1/20/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07581
Certificate Rent-All-number: 028

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07383
Certificate Rent-All-number: 029

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07378
Certificate Rent-All-number: 030

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: C07384

Certificate Rent-All-number: 031

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminum

Heat treatment: non glowing

Identification number: C07380

Certificate Rent-All-number: 032

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07385
Certificate Rent-All-number: 033

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07379
Certificate Rent-All-number: 034

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/5/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07386
Certificate Rent-All-number: 035

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07387
Certificate Rent-All-number: 036

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07382
Certificate Rent-All-number: 037

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07388
Certificate Rent-All-number: 038

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/4/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07381
Certificate Rent-All-number: 039

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 1/16/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C05126
Certificate Rent-All-number: 040

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012Date of last test: 11/7/2018* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Eldri Vibeo Soorb Middird

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C05115
Certificate Rent-All-number: 041

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/26/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jane -

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C05114
Certificate Rent-All-number: 042

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C05116

Certificate Rent-All-number: 043

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C05125
Certificate Rent-All-number: 044

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 1/20/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	1
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07582
Certificate Rent-All-number: 045

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 12/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C05124
Certificate Rent-All-number: 046

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 7/12/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	\checkmark
hook suspension	✓
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C05118

Certificate Rent-All-number: 047

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminum
Heat treatment: non glowing

Identification number: C05127
Certificate Rent-All-number: 048

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C06598
Certificate Rent-All-number: 049

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 3/1/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango Tango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C05117
Certificate Rent-All-number: 050

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/21/2012

Date of last test: 2/12/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	✓
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	\checkmark
chain	V
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07733
Certificate Rent-All-number: 051

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 2/5/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Danger

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07737
Certificate Rent-All-number: 052

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: C07738

Certificate Rent-All-number: 053

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 7/13/2017

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07736
Certificate Rent-All-number: 054

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 9/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: C07735

Certificate Rent-All-number: 055

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	1
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07734
Certificate Rent-All-number: 056

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07732
Certificate Rent-All-number: 057

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Danger

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07731
Certificate Rent-All-number: 058

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 8/31/2012

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Janey -

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.8

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium Heat treatment: non glowing C07886

Certificate Rent-All-number: 059

Identification number:

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 9/6/2012 Date of last test: 10/11/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07889
Certificate Rent-All-number: 060

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07897
Certificate Rent-All-number: 061

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07888
Certificate Rent-All-number: 062

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	1
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07899
Certificate Rent-All-number: 063

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07884 Certificate Rent-All-number: 064

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test overload test OK CE - Marking A3 / NEN3140	noist parts and access.	UK
chain bag + safety power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	handles	\checkmark
power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test averload test OK CE - Marking	casing	\checkmark
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	chain bag + safety	\checkmark
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test overload test OK CE - Marking	power plug	~
dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin brake test overload test OK CE - Marking	power cord	4
screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test averload test OK CE - Marking	Regular Test	ок
hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test averload test OK CE - Marking	dead end stopper	~
hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test averload test OK CE - Marking	screw connections	~
hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test averload test OK CE - Marking	hook suspension	\checkmark
hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test averload test OK CE - Marking	chain	\checkmark
electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test averload test OK CE - Marking	hook tackle / block	4
brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK OVERALL OK OK OK OK OK OK OK OK OK	Inside inspection	ок
brake frame screws lift wheel chain guide Final test load test chain brake test averload test OVERALL OVERALL OK OK OK OF OF OF OF OF OF OF	electric wiring	~
lift wheel chain guide Final test load test chain brake test overload test OK OVERALL OK OK OK OK OK OK OK OK OK O	brake system	\checkmark
chain guide Final test OK load test chain brake test overload test Overall OK CE - Marking	brake frame screws	\checkmark
Final test OK load test chain brake test overload test Overall OK CE - Marking	lift wheel	\checkmark
load test chain brake test overload test Overall CE - Marking	chain guide	4
chain brake test overload test Overall CE - Marking	Final test	ОК
brake test overload test Overall CE - Marking	load test	~
overload test Overall OK CE - Marking	chain	~
Overall OK CE - Marking	brake test	1
CE - Marking	overload test	1
Line-literoconty (72)	Overall	ОК
A3 / NEN3140 🗸	CE - Marking	1
	A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07900
Certificate Rent-All-number: 065

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07896
Certificate Rent-All-number: 066

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 3/2/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07891
Certificate Rent-All-number: 067

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 1/14/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07901
Certificate Rent-All-number: 069

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 12/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium Heat treatment: non glowing C07890

Certificate Rent-All-number: 070

Identification number:

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 9/6/2012 Date of last test: 12/24/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07893
Certificate Rent-All-number: 071

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 1/30/2020

* Date notation used: MM/PD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	O/
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Eldri Vibeo Soorib Riddird

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07895
Certificate Rent-All-number: 072

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

pan to anna access.	O.K
handles	~
casing	~
chain bag + safety	~
power plug	\checkmark
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	~
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07892
Certificate Rent-All-number: 073

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 7/13/2017

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07885
Certificate Rent-All-number: 074

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07887
Certificate Rent-All-number: 075

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langer

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07898
Certificate Rent-All-number: 076

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2012

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07857
Certificate Rent-All-number: 077

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07855
Certificate Rent-All-number: 078

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 4/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07854
Certificate Rent-All-number: 079

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 10/17/2014

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.8

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07859
Certificate Rent-All-number: 080

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 2/26/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non alowina

Heat treatment: non glowing Identification number: C07856

Certificate Rent-All-number: 081

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07860
Certificate Rent-All-number: 082

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 11/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07863
Certificate Rent-All-number: 083

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07858
Certificate Rent-All-number: 084

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 11/7/2018

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

rioist parts and access.	On
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07861
Certificate Rent-All-number: 085

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

of anger

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	\checkmark
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07866
Certificate Rent-All-number: 086

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07862 Certificate Rent-All-number: 087

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 10/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07865
Certificate Rent-All-number: 088

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 9/18/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07874
Certificate Rent-All-number: 089

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07864
Certificate Rent-All-number: 090

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012
Date of last test: 1/20/2020
* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07870
Certificate Rent-All-number: 091

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07871
Certificate Rent-All-number: 092

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and access. OK handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

carried out under supervision of à competent engineer.

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07867
Certificate Rent-All-number: 093

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: C07868
Certificate Rent-All-number: 094

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07875
Certificate Rent-All-number: 095

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 10/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

noist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07869
Certificate Rent-All-number: 096

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07877
Certificate Rent-All-number: 097

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 1/14/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07872
Certificate Rent-All-number: 098

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: C07873
Certificate Rent-All-number: 099

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 2/6/2015

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: C07876
Certificate Rent-All-number: 100

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/14/2012

Date of last test: 1/14/2015

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

noist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02520

Certificate Rent-All-number: 101

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 11/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02517
Certificate Rent-All-number: 102

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 10/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

chain diameter 4 x 12 mm parten 1 **Dimensions:**

Material: steel + aluminium Heat treatment: non glowing D02504

Certificate Rent-All-number: 103

Identification number:

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 3/19/2013 Date of last test: 1/20/2020 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02505
Certificate Rent-All-number: 104

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02537
Certificate Rent-All-number: 105

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/12/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

Hoist purts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02534
Certificate Rent-All-number: 106

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/12/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	× × × ×
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: D02533
Certificate Rent-All-number: 107

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number:D02539Certificate Rent-All-number:108

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 9/24/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



LIGHT VIDEO SOUND RIGORNO

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: D02518
Certificate Rent-All-number: 109

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hange

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02519

Certificate Rent-All-number: 110

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 12/31/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02535
Certificate Rent-All-number: 111

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 12/2/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02521
Certificate Rent-All-number: 112

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02506
Certificate Rent-All-number: 113

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/12/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02536
Certificate Rent-All-number: 114

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 11/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02541
Certificate Rent-All-number: 115

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/5/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02542

Certificate Rent-All-number: 116

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02507
Certificate Rent-All-number: 117

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02538

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 118

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 12/31/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02540

Certificate Rent-All-number: 119

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

of anger

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: D02516
Certificate Rent-All-number: 120

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D00594

Certificate Rent-All-number: 121

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 11/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D00592
Certificate Rent-All-number: 122

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 12/2/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: D00590
Certificate Rent-All-number: 123

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D00591
Certificate Rent-All-number: 124

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/12/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07818
Certificate Rent-All-number: 125

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02498

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 126

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02497
Certificate Rent-All-number: 127

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02495
Certificate Rent-All-number: 128

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02496
Certificate Rent-All-number: 129

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02503

Certificate Rent-All-number: 130

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02502
Certificate Rent-All-number: 131

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	V
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D00593

Certificate Rent-All-number: 132

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 11/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	✓
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

carried out under supervision of à competent engineer.

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02501
Certificate Rent-All-number: 133

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 10/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D00588

Certificate Rent-All-number: 134

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02515
Certificate Rent-All-number: 135

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D00587
Certificate Rent-All-number: 136

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 9/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist purts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D00585
Certificate Rent-All-number: 137

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Haugu

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D00581
Certificate Rent-All-number: 138

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D00584
Certificate Rent-All-number: 139

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 9/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D00583

Certificate Rent-All-number: 140

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D00586

Certificate Rent-All-number: 141

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D00582
Certificate Rent-All-number: 142

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/19/2013

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02511
Certificate Rent-All-number: 143

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/20/2013

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	✓
hook suspension	\checkmark
chain	✓
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	\checkmark
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium Heat treatment: non glowing Identification number: D02500

Certificate Rent-All-number: 144

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 3/20/2013 Date of last test: 1/20/2020 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02514
Certificate Rent-All-number: 145

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/20/2013

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02513
Certificate Rent-All-number: 146

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/20/2013

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02499

Certificate Rent-All-number: 147

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/20/2013

Date of last test: 1/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langer

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02523
Certificate Rent-All-number: 148

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/20/2013

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Janey -

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.8

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02509
Certificate Rent-All-number: 149

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/20/2013

Date of last test: 3/1/2018

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02573
Certificate Rent-All-number: 150

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02562

Certificate Rent-All-number: 151

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/31/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

handles	\checkmark
casing	✓
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	4
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
·	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02574
Certificate Rent-All-number: 152

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 4/29/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02564
Certificate Rent-All-number: 153

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/12/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02551
Certificate Rent-All-number: 154

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02572
Certificate Rent-All-number: 155

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02576
Certificate Rent-All-number: 156

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 4/29/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02577
Certificate Rent-All-number: 157

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/7/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02522
Certificate Rent-All-number: 158

Strength

Proof load applied: 4,00 kNWorking load limit: 320 KGSafety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

1

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02512
Certificate Rent-All-number: 159

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	V
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02510
Certificate Rent-All-number: 160

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/14/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02580

Certificate Rent-All-number: 161

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: D02578
Certificate Rent-All-number: 162

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 1/14/2015

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02556
Certificate Rent-All-number: 163

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 3/15/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles

casing

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02544
Certificate Rent-All-number: 164

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/1/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02579

Certificate Rent-All-number: 165

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02563
Certificate Rent-All-number: 166

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02550

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 167

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/2/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02567
Certificate Rent-All-number: 168

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/4/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02553

Certificate Rent-All-number: 169

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	Y Y Y
chain	~
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	~
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	*
The state of the s	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02561

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 170

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	~
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
	4.8

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02528
Certificate Rent-All-number: 171

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02525

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 172

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02524
Certificate Rent-All-number: 173

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/1/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02526
Certificate Rent-All-number: 174

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 10/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02508
Certificate Rent-All-number: 175

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02559
Certificate Rent-All-number: 176

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02543
Certificate Rent-All-number: 177

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 1/20/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02557
Certificate Rent-All-number: 178

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02545
Certificate Rent-All-number: 179

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/19/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02546

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 180

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/28/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02554
Certificate Rent-All-number: 181

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/5/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02571
Certificate Rent-All-number: 182

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/14/2018

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	\checkmark
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02547
Certificate Rent-All-number: 183

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/7/2018

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking A3 / NEN3140	Hoist parts and access.	UK
chain bag + safety power plug power cord Regular Test OK dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection OK electric wiring brake system brake frame screws lift wheel chain guide Final test OK load test choin broke test Overall OK CE - Marking	handles	~
power plug power cord Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	casing	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test choin broke test Overall OK CE - Marking	chain bag + safety	~
Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power plug	~
dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	power cord	4
screw connections hook suspension chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	Regular Test	ОК
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	dead end stopper	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	screw connections	~
chain hook tackle / block Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook suspension	✓
Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	chain	\checkmark
electric wiring brake system brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK CE - Marking	hook tackle / block	4
brake system brake frame screws lift wheel chain guide Final test load test chain broke test overload test OK CE - Marking	Inside inspection	ОК
brake frame screws lift wheel chain guide Final test load test chain brake test overload test OK Overall OK CE - Marking	electric wiring	✓
lift wheel chain guide Final test load test chain broke test overload test Overall CE - Marking	brake system	\checkmark
chain guide Final test OK load test chain broke test overload test Overall OK CE - Marking	brake frame screws	\checkmark
Final test OK load test chain broke test overload test Overall OK CE - Marking	lift wheel	\checkmark
load test chain broke test overload test Overall CE - Marking	chain guide	4
chain brake test overload test Overall CE - Marking	Final test	ОК
brake test overload test Overall CE - Marking	load test	~
overload test Overall OK CE - Marking	chain	1
Overall OK CE - Marking ✓	brake test	4
CE - Marking	overload test	1
LUS - CENTRO CONTO (TEX	Overall	ОК
A3 / NEN3140 🗸	CE - Marking	1
	A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02566

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 184

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02552

Certificate Rent-All-number: 185

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02531
Certificate Rent-All-number: 186

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/5/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - <

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: D02530
Certificate Rent-All-number: 187

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02532
Certificate Rent-All-number: 188

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02529

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 189

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02527
Certificate Rent-All-number: 190

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/5/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

D02548

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 191

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 1/31/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02560

Certificate Rent-All-number: 192

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:D02558

Certificate Rent-All-number: 193

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/4/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Danger

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: D02565
Certificate Rent-All-number: 194

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02555
Certificate Rent-All-number: 195

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/4/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02549

Certificate Rent-All-number: 196

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 9/18/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02570

Certificate Rent-All-number: 197

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02575
Certificate Rent-All-number: 198

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 7/13/2017

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 2

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: D02568

Certificate Rent-All-number: 199

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 1/20/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: D02569
Certificate Rent-All-number: 200

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 3/25/2013

Date of last test: 2/5/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	\checkmark
chain bag + safety	~
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	* * *
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	\checkmark
brake system	4
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

G07970

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 201

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 9/18/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07975
Certificate Rent-All-number: 202

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date notation used: MM/PD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

Hoist purts and access.	OK
handles	\checkmark
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07978

Identification number: G0797 Certificate Rent-All-number: 203

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/19/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07987

Certificate Rent-All-number: 204

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/28/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Danger

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07976

Certificate Rent-All-number: 205

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

.

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	✓
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07997
Certificate Rent-All-number: 206

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07980
Certificate Rent-All-number: 207

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date notation used: MM/PD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07972
Certificate Rent-All-number: 208

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07969

Certificate Rent-All-number: 209

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/21/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	× × × ×
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07971
Certificate Rent-All-number: 210

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/28/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07778
Certificate Rent-All-number: 211

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/16/2017

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the

Certificate of hoisting equipment Chainmaster

EG Machinery Directive 2006/42/EG, appendix II-À. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07787

Certificate Rent-All-number: 212

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/31/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	4
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07798
Certificate Rent-All-number: 213

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/2/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07786
Certificate Rent-All-number: 214

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07792
Certificate Rent-All-number: 215

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date notation used: MM/PD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts una access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

G07982

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 216

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date notation used: MM/PD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07968
Certificate Rent-All-number: 217

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/2/2019

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07984
Certificate Rent-All-number: 218

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/7/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07983
Certificate Rent-All-number: 219

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07985
Certificate Rent-All-number: 220

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/28/2018

* Date no to tion used: MM//DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07996

Certificate Rent-All-number: 221

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag + safety power plug power cord Regular Test ОК dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain quide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

OK



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07981
Certificate Rent-All-number: 222

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/12/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07994

Certificate Rent-All-number: 223

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07995
Certificate Rent-All-number: 224

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date notation used: MM/PD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07993
Certificate Rent-All-number: 225

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/31/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

16

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	4
power plug	\checkmark
power cord	✓
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	\checkmark
chain	V
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: G07991
Certificate Rent-All-number: 226

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07803

Certificate Rent-All-number: 227

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07814
Certificate Rent-All-number: 228

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07979
Certificate Rent-All-number: 229

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/12/2019

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07802 Certificate Rent-All-number: 230

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07811
Certificate Rent-All-number: 231

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 4/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07784
Certificate Rent-All-number: 232

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07807
Certificate Rent-All-number: 233

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07799

Certificate Rent-All-number: 234

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07986

Certificate Rent-All-number: 235

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 7/12/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07990

Certificate Rent-All-number: 236

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07813
Certificate Rent-All-number: 237

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07801
Certificate Rent-All-number: 238

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/14/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	1
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: G07809

Certificate Rent-All-number: 239

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Danger

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium Heat treatment: non glowing G07791

Certificate Rent-All-number: 240

Identification number:

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 9/6/2016 Date of last test: 11/20/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07808
Certificate Rent-All-number: 241

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07783

Certificate Rent-All-number: 242

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	Y Y Y
chain	~
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	~
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	*
The state of the s	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07974
Certificate Rent-All-number: 243

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/2/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access	s. Or
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	✓
chain guide	✓
Final test	ок
load test	✓
chain	V
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07988

Certificate Rent-All-number: 244

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/31/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07989

Certificate Rent-All-number: 245

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 3/20/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGI 10	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07992

Certificate Rent-All-number: 246

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

b-a-Z

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	<i></i>
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07977
Certificate Rent-All-number: 247

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07973

Certificate Rent-All-number: 248

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07782
Certificate Rent-All-number: 249

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/26/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

G07816

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 250

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fanger

Pieter Langen

moist parts and access.	On
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07810
Certificate Rent-All-number: 251

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

of any

Pieter Langen

noist parts and at	ccss. On
handles	✓
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / bloc	k 🥓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screw	rs 🧹
lift wheel	~
chain guide	✓
Final test	ОК
load test	Y
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07804
Certificate Rent-All-number: 252

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	1
brake test	4
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07795
Certificate Rent-All-number: 253

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07794
Certificate Rent-All-number: 254

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/12/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 ~

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Eldri Vibeo Soorb Middird

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07805
Certificate Rent-All-number: 255

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

moist parts and access.	O/
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07800

Certificate Rent-All-number: 256

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07797
Certificate Rent-All-number: 257

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 3/20/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Janes -

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number:G07812Certificate Rent-All-number:258

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/20/2020

* Date notation used: MM/PD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hangu

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07788
Certificate Rent-All-number: 259

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07817
Certificate Rent-All-number: 260

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 9/28/2017

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langer

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07781
Certificate Rent-All-number: 261

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 3/2/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: G07815
Certificate Rent-All-number: 262

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist purts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	Ý
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07820
Certificate Rent-All-number: 263

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/24/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07793
Certificate Rent-All-number: 264

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07790

Certificate Rent-All-number: 265

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/28/2018

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07796
Certificate Rent-All-number: 266

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist purts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07822
Certificate Rent-All-number: 267

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium Heat treatment: non glowing G07821

Certificate Rent-All-number: 268

Identification number:

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 9/6/2016 Date of last test: 12/31/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07780

Certificate Rent-All-number: 269

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07779
Certificate Rent-All-number: 270

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07789

Certificate Rent-All-number: 271

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 11/15/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: G07806

Certificate Rent-All-number: 272

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 10/11/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07819
Certificate Rent-All-number: 273

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	Y Y Y
chain	~
hook tackle / block	~
Inside inspection	ок
electric wiring	\checkmark
brake system	~
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3/NEN3140	*
The State of Control of Control	4

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: G07785
Certificate Rent-All-number: 274

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 9/6/2016

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	Ý
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H09166

Certificate Rent-All-number: 275

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 11/18/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

moist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H09170

Certificate Rent-All-number: 276

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

moist parts and access.	O/
handles	\checkmark
casing	\checkmark
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	V
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H09172
Certificate Rent-All-number: 277

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langer

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H09186

Certificate Rent-All-number: 278

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 12/31/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

parts and access.	• • • • • • • • • • • • • • • • • • • •
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ок
load test	~
chain	~
brake test	1
overload test	1
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material:steel + aluminiumHeat treatment:non glowing

Identification number: H09187
Certificate Rent-All-number: 279

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 1/30/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 - 4

Pieter Langen

Hoist parts and acce	ess. OK
handles	✓
casing	✓
chain bag + safety	ž
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ОК
load test	✓
chain	~
brake test	4
overload test	4
Overall	ОК
CE - Marking	1
A3/NEN3140	4



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H09188

Certificate Rent-All-number: 280

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 12/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Chainmaster D8 320KG HH. 24 meter Description:

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium Heat treatment: non glowing H09189

Certificate Rent-All-number: 281

Identification number:

Strength

Proof load applied: 4.00 kN Working load limit: 320 KG Safety factor: 4:01

Manufacturing date: 1/19/2018 Date of last test: 1/20/2020 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

noist parts and access.	UK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ок
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H09190
Certificate Rent-All-number: 282

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 2/4/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H09191
Certificate Rent-All-number: 283

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 2/11/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hango

Pieter Langen

noist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	1
, 13 , NENGITO	

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

H09192

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 284

Identification number:

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 1/30/2020

* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	UK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	✓
brake system	\checkmark
brake frame screws	~
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	V
chain	~
brake test	1
overload test	1
Overall	ок
CE - Marking	1
A3 / NEN3140	V
	2.3

Hoist parts and access.



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium
Heat treatment: non glowing

Identification number: H09193
Certificate Rent-All-number: 285

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 2/11/2020

* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag + safety	\checkmark
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	~
Inside inspection	ОК
electric wiring	J/
brake system	Ž
brake frame screws	<i>\sqrt{\sq}}}}}}}}}}}}} \sqrt{\sq}}}}}}}}}}}}}} \sqrt{\sq}}}}}}}}}}}} \sqit{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}}} \sqit{\sqrt{\sqrt{\sq}\sqrt{\sqrt{\sqrt{\sq}}}}}}}}}} \sqrt{\sqrt{\sqrt</i>
lift wheel	1
chain guide	4
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3 / NEN3140	~



Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster

Description: Chainmaster D8 320KG HH. 24 meter

Dimensions: chain diameter 4 x 12 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: H09194

Certificate Rent-All-number: 286

Strength

Proof load applied: 4,00 kN
Working load limit: 320 KG
Safety factor: 4:01

Manufacturing date: 1/19/2018

Date of last test: 11/29/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

noist parts and access.	OK
handles	~
casing	~
chain bag + safety	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	\checkmark
Final test	ОК
load test	~
chain	~
brake test	4
overload test	1
Overall	ок
CE - Marking	~
A3/NEN3140	~

Hoist parts and access.