

Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4556WZ

Certificate Rent-All-number: 003

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015Date of last test: 1/17/2020* Da to no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Pieter Langen

Hoist parts and access.	ОК
handles	~
casing	✓
chain bag	✓
power plug	4
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	✓
hook suspension	✓
chain	4
hook tackle / block	~
to the term of the	011
Inside inspection	OK
electric wiring	×,
brake system	×,
brake frame screws	×,
lift wheel	*
chain guide	*
Final test	ОК
load test	✓
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	1

Hoist parts and access



LIGHT | VIDEO | SOUND | RIGGING

Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4555WZ

Certificate Rent-All-number: 006

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pas

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	\checkmark
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	✓
chain	1
brake test	1
overload test	1
2 2	2000
Overall	OK
CE - Marking	*
A3 / NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4578WZ

Certificate Rent-All-number: 007

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Hoist parts and access.	ОК
handles	~
casing	1
chain bag	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	V
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	4
Final test	ок
load test	✓
chain	1
brake test	~
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4565WZ

Certificate Rent-All-number: 010

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Hoist parts and access.	ОК
handles	~
casing	\checkmark
chain bag	\checkmark
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y /
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	1



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4563WZ

Certificate Rent-All-number: 013

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/17/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V / /
power plug	\checkmark
power cord	~
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection electric wiring	OK ~
brake system	Ž
brake frame screws	V
lift wheel	V
chain guide	4
Final test	ОК
load test	V
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2905WX

Certificate Rent-All-number: 021

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	~
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	~
Danielan Taat	OK
Regular Test	OK
dead end stopper	×,
screw connections	×.
hook suspension	V V V
chain	~
hook tackle / block	*
Inside inspection	ок
electric wiring	J/
brake system	1
brake frame screws	1
lift wheel	×.
chain guide	Ž
cham garac	
Final test	ОК
load test	\checkmark
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
U2 / INTINOTAD	*



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL1264XA

Certificate Rent-All-number: 022

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pas

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V / /
power plug	\checkmark
power cord	~
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection electric wiring	OK ~
brake system	Ž
brake frame screws	V
lift wheel	V
chain guide	4
Final test	ОК
load test	V
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL1266XA

Certificate Rent-All-number: 036

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/17/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jango

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V / /
power plug	\checkmark
power cord	~
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection electric wiring	OK ~
brake system	Ž
brake frame screws	V
lift wheel	V
chain guide	4
Final test	ОК
load test	V
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM F Lodestar DC 500kg 25,0 meter
Dimensions: chain diameter 6,3 x 18,9 mm 1 part

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4546WZ

Certificate Rent-All-number: 056

Strength

Proof load applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 11/20/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V / /
power plug	\checkmark
power cord	~
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	1
chain	1
hook tackle / block	4
Inside inspection electric wiring	OK ~
brake system	Ž
brake frame screws	V
lift wheel	V
chain guide	4
Final test	ОК
load test	V
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3/NEN3140	~