

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2990QX

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 001

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 3

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	4
power plug	\checkmark
power cord	*
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y Y Y
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	~
brake test	1
overload test	~
Overall	ОК
CE - Marking	1
A3 / NEN3140	~

Hoist narts and access



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2985QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 002

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2989QX

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 003

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

rioist parts arra accessi	0
handles	\checkmark
casing	~
chain bag	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	~
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	4
lift wheel	\checkmark
chain guide	~
Final test	ОК
load test	V
chain	1
brake test	1
overload test	~
Overall	ок
CE - Marking	1
A3/NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2979QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 004

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles

chain bag

power plug

casing



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2980QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 005

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2988QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 006

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019


* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen





Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2977QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 007

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles

chain bag

power plug

casing



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: L2986QX

Certificate Rent-All-number: 008

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2981QX

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 009

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2978QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 010

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles

chain bag

casing



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2976QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 011

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar 1 Ton HH. 22 meter Double

Speed

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

L2987QX

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 012

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 10/23/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	4
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	V V V
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	4
lift wheel	\checkmark
chain guide	\checkmark
Final test	ОК
load test	\checkmark
chain	\checkmark
brake test	1
overload test	~
Overall	ОК
CE - Marking	1
10 (11510110	

A3 / NEN3140