

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar 1 Ton HH. 22 meter Double Speed*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L2989QX*
 Certificate Rent-All-number: *003*

Strenght
 Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *10/17/2003*
 Date of last test: *5/29/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK

- handles ✓
- casing ✓
- chain bag ✓
- control plug ✓
- control cord ✓
- power plug ✓
- power cord ✓

Regular Test OK

- upper limit switch ✓
- lower limit switch ✓
- hook suspension ✓
- chain ✓
- lower hook ✓

Inside inspection OK

- electric wiring ✓
- brake system ✓
- brake frame screws ✓
- lift wheel ✓
- chain guide ✓

Final test OK

- load test ✓
- overload test ✓
- brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar 1 Ton HH. 22 meter Double Speed*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L2980QX*
 Certificate Rent-All-number: *005*

Strenght

Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *10/17/2003*

Date of last test: *10/1/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>control plug</i>	✓
<i>control cord</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>upper limit switch</i>	✓
<i>lower limit switch</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>lower hook</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>overload test</i>	✓
<i>brake test</i>	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM-Iodestar 1 Ton HH. 22 meter Double Speed
 Dimensions: chain diameter 7,9 x 21,7 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L2988QX
 Certificate Rent-All-number: 006

Strenght
 Proofload applied: 12,5 kN
 Working load limit: 1000 KG
 Safety factor: 4:01

Manufacturing date: 10/17/2003
 Date of last test: 10/17/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 1 Ton HH. 22 meter Double Speed*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L2977QX*
Certificate Rent-All-number: *007*

Strenght

Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *10/17/2003*

Date of last test: *11/5/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar 1 Ton HH. 22 meter Double Speed*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L2986QX*
 Certificate Rent-All-number: *008*

Strenght
 Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *10/17/2003*
 Date of last test: *4/10/2017*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 1 Ton HH. 22 meter Double Speed*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L2981QX*
Certificate Rent-All-number: *009*

Strength
Proofload applied: *12,5 kN*
Working load limit: *1000 KG*
Safety factor: *4:01*

Manufacturing date: *10/17/2003*
Date of last test: *1/29/2018*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 1 Ton HH. 22 meter Double Speed
Dimensions: chain diameter 7,9 x 21,7 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L2978QX
Certificate Rent-All-number: 010

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 5/29/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar 1 Ton HH. 22 meter Double Speed*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L2976QX*
 Certificate Rent-All-number: *011*

Strength
 Proofload applied: *12,5 kN*
 Working load limit: *1000 KG*
 Safety factor: *4:01*

Manufacturing date: *10/17/2003*
 Date of last test: *5/29/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>control plug</i>	✓
<i>control cord</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>upper limit switch</i>	✓
<i>lower limit switch</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>lower hook</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>overload test</i>	✓
<i>brake test</i>	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 1 Ton HH. 22 meter Double Speed
Dimensions: chain diameter 7,9 x 21,7 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L2987QX
Certificate Rent-All-number: 012

Strenght

Proofload applied: 12,5 kN
Working load limit: 1000 KG
Safety factor: 4:01

Manufacturing date: 10/17/2003

Date of last test: 5/29/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓