







## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L0927PK*  
Certificate Rent-All-number: *005*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *10/15/2000*

Date of last test : *10/24/2019*

\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer

*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓



## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L0922PK*  
Certificate Rent-All-number: *007*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *10/15/2000*

Date of last test : *10/24/2019*

\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer

Pieter Langen

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
 Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
 Material: *steel + aluminium*  
 Heat treatment: *non glowing*  
 Identification number: *L1393PN*  
 Certificate Rent-All-number: *008*

*Strength*

Proof load applied: *12,5 kN*  
 Working load limit: *1000 KG*  
 Safety factor: *4:01*

Manufacturing date: *1/16/2001*  
 Date of last test : *10/24/2019*  
 \* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓









## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L1398PN*  
Certificate Rent-All-number: *012*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *1/16/2001*  
Date of last test : *10/24/2019*  
\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer

*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L0499QF*  
Certificate Rent-All-number: *013*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *6/16/2002*  
Date of last test : *10/31/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer

Pieter Langen

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓

## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L0491QF*  
Certificate Rent-All-number: *014*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *6/16/2002*  
Date of last test : *10/24/2019*

\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

## ***Certificate of hoisting equipment***

### ***Columbus McKinnon Corp.***

*The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.*

**Manufacturer:** *Columbus McKinnon Corp.*  
**Description:** *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
**Dimensions:** *chain diameter 7,9 x 21,7 mm parten 1*  
**Material:** *steel + aluminium*  
**Heat treatment:** *non glowing*  
**Identification number:** *L0489QF*  
**Certificate Rent-All-number:** *015*

***Strength***

**Proof load applied:** *12,5 kN*  
**Working load limit:** *1000 KG*  
**Safety factor:** *4:01*

**Manufacturing date:** *6/16/2002*  
**Date of last test :** *10/31/2019*  
\* Date notation used : *MM/DD/YYYY*

**Name and address of supplier:**  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

**Signature of competent engineer**



*Pieter Langen*

<b><i>Hoist parts and access.</i></b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b><i>Regular Test</i></b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b><i>Inside inspection</i></b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b><i>Final test</i></b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b><i>Overall</i></b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

BEEMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM



## **Certificate of hoisting equipment**

### **Columbus McKinnon Corp.**

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
 Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
 Material: *steel + aluminium*  
 Heat treatment: *non glowing*  
 Identification number: *L0493QF*  
 Certificate Rent-All-number: *017*

*Strength*

Proof load applied: *12,5 kN*  
 Working load limit: *1000 KG*  
 Safety factor: *4:01*

Manufacturing date: *6/16/2002*  
 Date of last test : *10/24/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



*Pieter Langen*

<b>Hoist parts and access.</b>	<b>OK</b>
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
<b>Regular Test</b>	<b>OK</b>
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
<b>Inside inspection</b>	<b>OK</b>
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
<b>Final test</b>	<b>OK</b>
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
<b>Overall</b>	<b>OK</b>
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓





## Certificate of hoisting equipment

### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L0496QF*  
Certificate Rent-All-number: *019*

#### Strength

Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *6/16/2002*  
Date of last test : *10/24/2019*  
\* Date notation used : *MM/DD/YYYY*

#### Name and address of supplier:

*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

#### Signature of competent engineer



*Pieter Langen*

**Hoist parts and access.** **OK**  
*handles* ✓  
*casing* ✓  
*chain bag* ✓  
*power plug* ✓  
*power cord* ✓

**Regular Test** **OK**  
*dead end stopper* ✓  
*screw connections* ✓  
*hook suspension* ✓  
*chain* ✓  
*hook tackle / block* ✓

**Inside inspection** **OK**  
*electric wiring* ✓  
*brake system* ✓  
*brake frame screws* ✓  
*lift wheel* ✓  
*chain guide* ✓

**Final test** **OK**  
*load test* ✓  
*chain* ✓  
*brake test* ✓  
*overload test* ✓

**Overall** **OK**  
*CE - Marking* ✓  
*A3 / NEN3140* ✓





## Certificate of hoisting equipment

### Columbus McKinnon Corp.

*The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.*

Manufacturer: *Columbus McKinnon Corp.*  
Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
Material: *steel + aluminium*  
Heat treatment: *non glowing*  
Identification number: *L0498QF*  
Certificate Rent-All-number: *023*

**Strength**  
Proof load applied: *12,5 kN*  
Working load limit: *1000 KG*  
Safety factor: *4:01*

Manufacturing date: *6/16/2002*  
Date of last test : *10/24/2019*  
\* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands*

Signature of competent engineer

*Pieter Langen*

**Hoist parts and access.** **OK**  
handles

casing

chain bag

power plug

power cord

**Regular Test** **OK**  
dead end stopper

screw connections

hook suspension

chain

hook tackle / block

**Inside inspection** **OK**  
electric wiring

brake system

brake frame screws

lift wheel

chain guide

**Final test** **OK**  
load test

chain

brake test

overload test

**Overall** **OK**  
CE - Marking

A3 / NEN3140

# Certificate of hoisting equipment

## Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*  
 Description: *CM-Iodestar 1 Ton HH. 36 meter Double Speed*  
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 1*  
 Material: *steel + aluminium*  
 Heat treatment: *non glowing*  
 Identification number: *L0494QF*  
 Certificate Rent-All-number: *024*

**Strength**

Proof load applied: *12,5 kN*  
 Working load limit: *1000 KG*  
 Safety factor: *4:01*

Manufacturing date: *6/16/2002*  
 Date of last test : *10/24/2019*  
 \* Date notation used : *MM/DD/YYYY*

Name and address of supplier:  
*Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands*

Signature of competent engineer



Pieter Langen

<b>Hoist parts and access.</b>	<b>OK</b>
handles	✓
casing	✓
chain bag	✓
power plug	✓
power cord	✓
<b>Regular Test</b>	<b>OK</b>
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
<b>Inside inspection</b>	<b>OK</b>
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
<b>Final test</b>	<b>OK</b>
load test	✓
chain	✓
brake test	✓
overload test	✓
<b>Overall</b>	<b>OK</b>
CE - Marking	✓
A3 / NEN3140	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • AMSTERDAM • AMSTERDAM