

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L0784QS*
 Certificate Rent-All-number: *001*

Strenght

Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *5/17/2003*

Date of last test: *5/1/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓

Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
overload test	✓
brake test	✓



Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM RR Lodestar 2 Ton HH. 30 meter
 Dimensions: chain diameter 7,9 x 21,7 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L0782QS
 Certificate Rent-All-number: 002

Strenght
 Proofload applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 5/17/2003
 Date of last test: 5/25/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmell

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓

Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM RR Lodestar 2 Ton HH. 30 meter
 Dimensions: chain diameter 7,9 x 21,7 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: PL0023QM
 Certificate Rent-All-number: 003

Strenght
 Proofload applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 12/16/2002
 Date of last test: 11/29/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *PL0022QM*
 Certificate Rent-All-number: *004*

Strength
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *12/16/2002*
 Date of last test: *5/25/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓

• AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • BEMMEL • AMSTERDAM • NÜRNBERG • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • BEMMEL • AMSTERDAM

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *PL0021QM*
Certificate Rent-All-number: *005*

Strenght
Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *12/16/2002*
Date of last test: *7/19/2018*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *PL0020QM*
Certificate Rent-All-number: *007*

Strenght
Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *12/16/2002*

Date of last test: *12/15/2017*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *PL0024QM*
 Certificate Rent-All-number: *008*

Strenght
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *12/16/2002*
 Date of last test: *5/25/2018*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM RR Lodestar 2 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L1591QY
Certificate Rent-All-number: 010

Strength

Proofload applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 11/17/2003

Date of last test: 5/1/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓

Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM RR Lodestar 2 Ton HH. 30 meter
 Dimensions: chain diameter 7,9 x 21,7 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L1593QY
 Certificate Rent-All-number: 011

Strenght
 Proofload applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 11/17/2003
 Date of last test: 7/19/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L1384NE*
 Certificate Rent-All-number: *013*

Strenght
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *5/16/1998*
 Date of last test: *12/15/2017*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • AMSTERDAM • BEMMEL • NÜRNBERG • CASTROP-RAUXEL • NÜRNBERG • BEMMEL • AMSTERDAM • AMSTERDAM

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L4729SJ*
 Certificate Rent-All-number: *016*

Strenght
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *9/16/2006*
 Date of last test: *7/17/2018*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer


 Pieter Langen

- | | |
|--------------------------------|-----------|
| Hoist parts and access. | OK |
| handles | ✓ |
| casing | ✓ |
| chain bag | ✓ |
| control plug | ✓ |
| control cord | ✓ |
| power plug | ✓ |
| power cord | ✓ |
|
 | |
| Regular Test | OK |
| upper limit switch | ✓ |
| lower limit switch | ✓ |
| hook suspension | ✓ |
| chain | ✓ |
| lower hook | ✓ |
|
 | |
| Inside inspection | OK |
| electric wiring | ✓ |
| brake system | ✓ |
| brake frame screws | ✓ |
| lift wheel | ✓ |
| chain guide | ✓ |
|
 | |
| Final test | OK |
| load test | ✓ |
| overload test | ✓ |
| brake test | ✓ |



Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L3073NG*
Certificate Rent-All-number: *017*

Strength

Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *7/16/1998*

Date of last test: *7/19/2018*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM RR Lodestar 2 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L4731SJ
Certificate Rent-All-number: 019

Strenght
Proofload applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 9/16/2006
Date of last test: 7/19/2018
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM RR Lodestar 2 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L4728SJ
Certificate Rent-All-number: 020

Strength

Proofload applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 9/16/2006

Date of last test: 7/19/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓

Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L2600SK*
Certificate Rent-All-number: *021*

Strenght
Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *10/16/2006*
Date of last test: *7/17/2018*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L2603SK*
Certificate Rent-All-number: *022*

Strenght

Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *10/16/2006*

Date of last test: *5/1/2018*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓✓
casing ✓✓
chain bag ✓✓
control plug ✓✓
control cord ✓✓
power plug ✓✓
power cord ✓✓

Regular Test **OK**
upper limit switch ✓✓
lower limit switch ✓✓
hook suspension ✓✓
chain ✓✓
lower hook ✓✓

Inside inspection **OK**
electric wiring ✓✓
brake system ✓✓
brake frame screws ✓✓
lift wheel ✓✓
chain guide ✓✓

Final test **OK**
load test ✓✓
overload test ✓✓
brake test ✓✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L3495SK*
 Certificate Rent-All-number: *024*

Strenght
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *10/16/2006*
 Date of last test: *7/17/2018*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓



Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM RR Lodestar 2 Ton HH. 30 meter
 Dimensions: chain diameter 7,9 x 21,7 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L4741SJ
 Certificate Rent-All-number: 026

Strength

Proofload applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 9/16/2006
 Date of last test: 12/15/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
 handles ✓✓
 casing ✓✓
 chain bag ✓✓
 control plug ✓✓
 control cord ✓✓
 power plug ✓✓
 power cord ✓✓

Regular Test OK
 upper limit switch ✓✓
 lower limit switch ✓✓
 hook suspension ✓✓
 chain ✓✓
 lower hook ✓✓

Inside inspection OK
 electric wiring ✓✓
 brake system ✓✓
 brake frame screws ✓✓
 lift wheel ✓✓
 chain guide ✓✓

Final test OK
 load test ✓✓
 overload test ✓✓
 brake test ✓✓



Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM RR Lodestar 2 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L3355SQ
Certificate Rent-All-number: 028

Strength

Proofload applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 3/17/2007
Date of last test: 10/12/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L4732SJ*
Certificate Rent-All-number: *029*

Strenght

Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *9/16/2006*
Date of last test: *11/29/2018*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag</i>	✓
<i>control plug</i>	✓
<i>control cord</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>upper limit switch</i>	✓
<i>lower limit switch</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>lower hook</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>overload test</i>	✓
<i>brake test</i>	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L3354SQ*
Certificate Rent-All-number: *031*

Strenght

Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *3/17/2007*
Date of last test: *12/15/2017*
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM RR Lodestar 2 Ton HH. 30 meter*
Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L3356SQ*
Certificate Rent-All-number: *032*

Strenght
Proofload applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *3/17/2007*
Date of last test: *12/15/2017*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L3353SQ*
 Certificate Rent-All-number: *033*

Strenght
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *3/17/2007*
 Date of last test: *11/3/2017*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L3351SQ*
 Certificate Rent-All-number: *034*

Strenght
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *3/17/2007*
 Date of last test: *7/17/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓✓
casing ✓✓
chain bag ✓✓
control plug ✓✓
control cord ✓✓
power plug ✓✓
power cord ✓✓

Regular Test OK
upper limit switch ✓✓
lower limit switch ✓✓
hook suspension ✓✓
chain ✓✓
lower hook ✓✓

Inside inspection OK
electric wiring ✓✓
brake system ✓✓
brake frame screws ✓✓
lift wheel ✓✓
chain guide ✓✓

Final test OK
load test ✓✓
overload test ✓✓
brake test ✓✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM RR Lodestar 2 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L4738SJ
Certificate Rent-All-number: 036

Strenght

Proofload applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 9/16/2006

Date of last test: 5/1/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓

Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
overload test	✓
brake test	✓



LIGHT | SOUND | RIGGING | VIDEO

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM RR Lodestar 2 Ton HH. 30 meter*
 Dimensions: *chain diameter 7,9 x 21,7 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L4725SJ*
 Certificate Rent-All-number: *037*

Strenght
 Proofload applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *9/16/2006*
 Date of last test: *11/29/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bemmel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓

