

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 500 kg HH. 22 meter*
Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L1695TT*
Certificate Rent-All-number: *049*

Strenght

Proofload applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *6/16/2009*

Date of last test: *2/1/2018*

** Date notation used : MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 500 kg HH. 22 meter*
Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L9363MV*
Certificate Rent-All-number: *050*

Strenght
Proofload applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *8/16/1997*
Date of last test: *7/6/2016*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 500 kg HH. 22 meter*
Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L5839RK*
Certificate Rent-All-number: *052*

Strenght
Proofload applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *10/15/2004*
Date of last test: *1/2/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test **OK**
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 500 kg HH. 22 meter
Dimensions: chain diameter 6,3 x 18,9 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L5838RK
Certificate Rent-All-number: 054

Strenght
Proofload applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 10/15/2004
Date of last test: 1/30/2019
** Date notation used :* MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar 500 kg HH. 22 meter*
 Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L3457QZ*
 Certificate Rent-All-number: *058*

Strenght
 Proofload applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*
 Manufacturing date: *12/17/2003*
 Date of last test: *1/16/2018*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM-Iodestar 500 kg HH. 22 meter
 Dimensions: chain diameter 6,3 x 18,9 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L5770SD
 Certificate Rent-All-number: 060

Strenght
 Proofload applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 4/16/2006
 Date of last test: 1/9/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 500 kg HH. 22 meter
Dimensions: chain diameter 6,3 x 18,9 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L9349MV
Certificate Rent-All-number: 061

Strenght

Proofload applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 8/16/1997

Date of last test: 1/10/2017

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK

upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
overload test ✓
brake test ✓



LIGHT | SOUND | RIGGING | VIDEO

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM-Iodestar 500 kg HH. 22 meter
 Dimensions: chain diameter 6,3 x 18,9 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L4298RX
 Certificate Rent-All-number: 063

Strenght
 Proofload applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 10/16/2005
 Date of last test: 1/9/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 500 kg HH. 22 meter
Dimensions: chain diameter 6,3 x 18,9 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L3459QZ
Certificate Rent-All-number: 064

Strength

Proofload applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 12/17/2003

Date of last test: 1/2/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
 Description: *CM-Iodestar 500 kg HH. 22 meter*
 Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *L0011TD*
 Certificate Rent-All-number: *076*

Strenght
 Proofload applied: *6,25 kN*
 Working load limit: *500 KG*
 Safety factor: *4:01*

Manufacturing date: *4/15/2008*
 Date of last test: *1/2/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 500 kg HH. 22 meter
Dimensions: chain diameter 6,3 x 18,9 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L4304RX
Certificate Rent-All-number: 085

Strenght

Proofload applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 10/16/2005

Date of last test: 1/30/2018

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK

upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 500 kg HH. 22 meter*
Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L5773SD*
Certificate Rent-All-number: *086*

Strenght

Proofload applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *4/16/2006*

Date of last test: *4/24/2018*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK

upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 500 kg HH. 22 meter*
Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L9376MV*
Certificate Rent-All-number: *091*

Strenght
Proofload applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *8/16/1997*
Date of last test: *10/10/2018*
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag	✓
control plug	✓
control cord	✓
power plug	✓
power cord	✓
Regular Test	OK
upper limit switch	✓
lower limit switch	✓
hook suspension	✓
chain	✓
lower hook	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
overload test	✓
brake test	✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM-Iodestar 500 kg HH. 22 meter
 Dimensions: chain diameter 6,3 x 18,9 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L1700TT
 Certificate Rent-All-number: 092

Strenght

Proofload applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 6/16/2009

Date of last test: 1/2/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag ✓
 control plug ✓
 control cord ✓
 power plug ✓
 power cord ✓

Regular Test OK
 upper limit switch ✓
 lower limit switch ✓
 hook suspension ✓
 chain ✓
 lower hook ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 overload test ✓
 brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM-Iodestar 500 kg HH. 22 meter
 Dimensions: chain diameter 6,3 x 18,9 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L1694TT
 Certificate Rent-All-number: 093

Strenght
 Proofload applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 6/16/2009
 Date of last test: 10/10/2018
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag ✓
 control plug ✓
 control cord ✓
 power plug ✓
 power cord ✓

Regular Test OK
 upper limit switch ✓
 lower limit switch ✓
 hook suspension ✓
 chain ✓
 lower hook ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 overload test ✓
 brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 500 kg HH. 22 meter
Dimensions: chain diameter 6,3 x 18,9 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L1697TT
Certificate Rent-All-number: 097

Strenght

Proofload applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 6/16/2009
Date of last test: 10/10/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 500 kg HH. 22 meter*
Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L5830RK*
Certificate Rent-All-number: *105*

Strenght

Proofload applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *10/15/2004*

Date of last test: *1/30/2019*

** Date notation used :* *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK

upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
Description: CM-Iodestar 500 kg HH. 22 meter
Dimensions: chain diameter 6,3 x 18,9 mm parten 1
Material: steel + aluminium
Heat treatment: non glowing
Identification number: L8906MV
Certificate Rent-All-number: 117

Strenght

Proofload applied: 6,25 kN
Working load limit: 500 KG
Safety factor: 4:01

Manufacturing date: 8/16/1997

Date of last test: 1/2/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Columbus McKinnon Corp.*
Description: *CM-Iodestar 500 kg HH. 22 meter*
Dimensions: *chain diameter 6,3 x 18,9 mm parten 1*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *L0147LW*
Certificate Rent-All-number: *202*

Strenght

Proofload applied: *6,25 kN*
Working load limit: *500 KG*
Safety factor: *4:01*

Manufacturing date: *9/17/1995*

Date of last test: *1/2/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag ✓
control plug ✓
control cord ✓
power plug ✓
power cord ✓

Regular Test OK
upper limit switch ✓
lower limit switch ✓
hook suspension ✓
chain ✓
lower hook ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
overload test ✓
brake test ✓

Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.
 Description: CM-Iodestar 500 kg HH. 22 meter
 Dimensions: chain diameter 6,3 x 18,9 mm parten 1
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: L6167RP
 Certificate Rent-All-number: 205

Strenght
 Proofload applied: 6,25 kN
 Working load limit: 500 KG
 Safety factor: 4:01

Manufacturing date: 2/15/2005
 Date of last test: 1/2/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Nijverheidstraat 75 / 6681 LN Bommel

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag ✓
 control plug ✓
 control cord ✓
 power plug ✓
 power cord ✓

Regular Test OK
 upper limit switch ✓
 lower limit switch ✓
 hook suspension ✓
 chain ✓
 lower hook ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 overload test ✓
 brake test ✓

