

Certificate equipment

TRACTEL

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: TRACTEL
Description: TRACTEL Blocfor-20 Fall Protection HH.
18,4 meter
Dimensions: galvanized steel wire rope 4,7 mm
Material: stainless steel
Heat treatment: non glowing
Identification number: 0535034
Certificate Rent-All-number: 002

Strenght

Proofload applied: 0,8 kN
Working load limit: 150 KG
Safety factor: 4:01

Manufacturing date: 2011
Date of last test: 2/19/2016
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking **OK**
no deformation ✓
open / close ✓
locking and wear ✓
fall indicator ✓
CE - Marking ✓

Casing and wire **OK**
wire stop ✓
screw connections ✓
no wire deformation ✓
no bending / corrosion ✓
wire connections ✓

Overall operation **OK**
brake system ✓
spring ✓
wire guide ✓

Final test **OK**
wire stop ✓
load test ✓
wire and connections ✓
brake test ✓
overload test ✓

Certificate equipment

TRACTEL

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: TRACTEL
Description: TRACTEL Blocfor-20 Fall Protection HH.
18,4 meter
Dimensions: galvanized steel wire rope 4,7 mm
Material: stainless steel
Heat treatment: non glowing
Identification number: 0633003
Certificate Rent-All-number: 004

Strength

Proofload applied: 0,8 kN
Working load limit: 150 KG
Safety factor: 4:01

Manufacturing date: 2011
Date of last test: 10/19/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking OK
no deformation ✓
open / close ✓
locking and wear ✓
fall indicator ✓
CE - Marking ✓

Casing and wire OK
wire stop ✓
screw connections ✓
no wire deformation ✓
no bending / corrosion ✓
wire connections ✓

Overall operation OK
brake system ✓
spring ✓
wire guide ✓

Final test OK
wire stop ✓
load test ✓
wire and connections ✓
brake test ✓
overload test ✓

Certificate equipment

TRACTEL

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: TRACTEL
 Description: TRACTEL Blocfor-20 Fall Protection HH. 18,4 meter
 Dimensions: galvanized steel wire rope 4,7 mm
 Material: stainless steel
 Heat treatment: non glowing
 Identification number: 1026034
 Certificate Rent-All-number: 013

Strenght

Proofload applied: 0,8 kN
 Working load limit: 150 KG
 Safety factor: 4:01

Manufacturing date: 2011
 Date of last test: 2/16/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking	OK
no deformation	✓
open / close	✓
locking and wear	✓
fall indicator	✓
CE - Marking	✓
Casing and wire	OK
wire stop	✓
screw connections	✓
no wire deformation	✓
no bending / corrosion	✓
wire connections	✓
Overall operation	OK
brake system	✓
spring	✓
wire guide	✓
Final test	OK
wire stop	✓
load test	✓
wire and connections	✓
brake test	✓
overload test	✓

Certificate equipment

TRACTEL

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *TRACTEL*
 Description: *TRACTEL Blocfor-20 Fall Protection HH. 18,4 meter*
 Dimensions: *galvanized steel wire rope 4,7 mm*
 Material: *stainless steel*
 Heat treatment: *non glowing*
 Identification number: *1318010*
 Certificate Rent-All-number: *014*

Strenght

Proofload applied: *0,8 kN*
 Working load limit: *150 KG*
 Safety factor: *4:01*

Manufacturing date: *2012*
 Date of last test: *3/27/2020*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking	OK
<i>no deformation</i>	
<i>open / close</i>	
<i>locking and wear</i>	
<i>fall indicator</i>	
<i>CE - Marking</i>	
Casing and wire	OK
<i>wire stop</i>	
<i>screw connections</i>	
<i>no wire deformation</i>	
<i>no bending / corrosion</i>	
<i>wire connections</i>	
Overall operation	OK
<i>brake system</i>	
<i>spring</i>	
<i>wire guide</i>	
Final test	OK
<i>wire stop</i>	
<i>load test</i>	
<i>wire and connections</i>	
<i>brake test</i>	
<i>overload test</i>	

Certificate equipment

TRACTEL

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: TRACTEL
Description: TRACTEL Blocfor-20 Fall Protection HH.
18,4 meter
Dimensions: galvanized steel wire rope 4,7 mm
Material: stainless steel
Heat treatment: non glowing
Identification number: 0633005
Certificate Rent-All-number: 019

Strenght

Proofload applied: 0,8 kN
Working load limit: 150 KG
Safety factor: 4:01

Manufacturing date: 2011
Date of last test: 5/16/2017
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Connectors and marking OK
no deformation ✓
open / close ✓
locking and wear ✓
fall indicator ✓
CE - Marking ✓

Casing and wire OK
wire stop ✓
screw connections ✓
no wire deformation ✓
no bending / corrosion ✓
wire connections ✓

Overall operation OK
brake system ✓
spring ✓
wire guide ✓

Final test OK
wire stop ✓
load test ✓
wire and connections ✓
brake test ✓
overload test ✓

Certificate equipment

TRACTEL

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *TRACTEL*
 Description: *TRACTEL Blocfor-20 Fall Protection HH. 18,4 meter*
 Dimensions: *galvanized steel wire rope 4,7 mm*
 Material: *stainless steel*
 Heat treatment: *non glowing*
 Identification number: *0929036*
 Certificate Rent-All-number: *020*

Strenght

Proofload applied: *0,8 kN*
 Working load limit: *150 KG*
 Safety factor: *4:01*

Manufacturing date: *2011*
 Date of last test: *5/27/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking	OK
<i>no deformation</i>	✓
<i>open / close</i>	✓
<i>locking and wear</i>	✓
<i>fall indicator</i>	✓
<i>CE - Marking</i>	✓
Casing and wire	OK
<i>wire stop</i>	✓
<i>screw connections</i>	✓
<i>no wire deformation</i>	✓
<i>no bending / corrosion</i>	✓
<i>wire connections</i>	✓
Overall operation	OK
<i>brake system</i>	✓
<i>spring</i>	✓
<i>wire guide</i>	✓
Final test	OK
<i>wire stop</i>	✓
<i>load test</i>	✓
<i>wire and connections</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Certificate equipment

KRATOS Safety for life

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: KRATOS Safety for life
Description: KRATOS Fall Protection HH. 20 meter
Dimensions: galvanized steel wire rope 4,5 mm
Material: stainless steel
Heat treatment: non glowing
Identification number: D 1600254
Certificate Rent-All-number: 051

Strength

Proofload applied: 0,8 kN
Working load limit: 136 KG
Safety factor: 4:01

Manufacturing date: 10/2016
Date of last test: 10/19/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking **OK**
no deformation ✓
open / close ✓
locking and wear ✓
fall indicator ✓
CE - Marking ✓

Casing and wire **OK**
wire stop ✓
screw connections ✓
no wire deformation ✓
no bending / corrosion ✓
wire connections ✓

Overall operation **OK**
brake system ✓
spring ✓
wire guide ✓

Final test **OK**
wire stop ✓
load test ✓
wire and connections ✓
brake test ✓
overload test ✓

Certificate equipment

KRATOS Safety for life

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: KRATOS Safety for life
Description: KRATOS Fall Protection HH. 20 meter
Dimensions: galvanized steel wire rope 4,5 mm
Material: stainless steel
Heat treatment: non glowing
Identification number: D 1600255
Certificate Rent-All-number: 052

Strenght

Proofload applied: 0,8 kN
Working load limit: 136 KG
Safety factor: 4:01

Manufacturing date: 10/2016
Date of last test: 9/21/2017
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking OK
no deformation ✓
open / close ✓
locking and wear ✓
fall indicator ✓
CE - Marking ✓

Casing and wire OK
wire stop ✓
screw connections ✓
no wire deformation ✓
no bending / corrosion ✓
wire connections ✓

Overall operation OK
brake system ✓
spring ✓
wire guide ✓

Final test OK
wire stop ✓
load test ✓
wire and connections ✓
brake test ✓
overload test ✓

Certificate equipment

KRATOS Safety for life

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: KRATOS Safety for life
Description: KRATOS Fall Protection HH. 20 meter
Dimensions: galvanized steel wire rope 4,5 mm
Material: stainless steel
Heat treatment: non glowing
Identification number: D 1600321
Certificate Rent-All-number: 054

Strenght

Proofload applied: 0,8 kN
Working load limit: 136 KG
Safety factor: 4:01

Manufacturing date: 10/2016
Date of last test: 9/24/2018
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking OK
no deformation ✓
open / close ✓
locking and wear ✓
fall indicator ✓
CE - Marking ✓

Casing and wire OK
wire stop ✓
screw connections ✓
no wire deformation ✓
no bending / corrosion ✓
wire connections ✓

Overall operation OK
brake system ✓
spring ✓
wire guide ✓

Final test OK
wire stop ✓
load test ✓
wire and connections ✓
brake test ✓
overload test ✓

Certificate equipment

KRATOS Safety for life

The undersigned certifies on behalf of this company, that below particulars are correct and that the described equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: KRATOS Safety for life
Description: KRATOS Fall Protection HH. 20 meter
Dimensions: galvanized steel wire rope 4,5 mm
Material: stainless steel
Heat treatment: non glowing
Identification number: D 1600327
Certificate Rent-All-number: 055

Strenght

Proofload applied: 0,8 kN
Working load limit: 136 KG
Safety factor: 4:01

Manufacturing date: 10/2016
Date of last test: 5/27/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Connectors and marking OK
no deformation ✓
open / close ✓
locking and wear ✓
fall indicator ✓
CE - Marking ✓

Casing and wire OK
wire stop ✓
screw connections ✓
no wire deformation ✓
no bending / corrosion ✓
wire connections ✓

Overall operation OK
brake system ✓
spring ✓
wire guide ✓

Final test OK
wire stop ✓
load test ✓
wire and connections ✓
brake test ✓
overload test ✓